18252

STATE OF MORIAGE.

Tiles i for clines

DEC 27 1963

MARY LOU FILE Clath & Recorded Valley Capity

By....

-	-		
		w	2


approved Stock Form-State Publishing Co., Helena, Montana-39318

35 8 43 E

DUPLICATE

County Valley

STATE OF MONTANA ADMINISTRATOR OF GROUNDWATER CODE OFFICE OF STATE ENGINEER



Notice of Completion of Groundwater Appropriation ... Without Well

(Under Chapter 237 Montana Session Laws, 1961)

	Date of Appropriation of Groundwater 22, 1243
	Owner again I Santhaddress Richles, Mon
	- 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1
	Contractor (if any)
e: T	Address of Contractor
	Date Started feeleg 14, 11. Date Completed frely 13, 1961
N	Describe means of obtaining groundwater without a well. "as by sub-irrigation and other natural processes". Include depth to
	water when applicable approach the state of
	그 그 그 그 그 그 그 그 그 그 그 그 그 그 그 그 그 그 그
<u></u>	
33	E
<u></u>	
	Quantity of water developed and used with explanation of method
	used to measure or estimate such amount. If use is intermittent
	The French Control of the Control of
	estimate approximate lengths of periods of use
WE4 WE Sec. 33 T 35R 43	in intermittent and is well
Indicate point of appropriation	
and place of use, if possible.	for 40 head of autile for two
	4 01 5 4
	Signature of Owner Lynds W. Standard
	Date 12 27, 1963

This form to be prepared by contractor (if any), otherwise by the owner.

Three copies of this notice are to be filed with the County Clerk and Recorder of the county in which the works are located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology and Quadruplicate for the Appropriator.

18254

STATE OF MONTANA, & en County at Valley. & en Filed for expend

DEC 27 1963

MARY LOU BIDE Clo & A Recorder
Valley County

A REAL PROPERTY OF THE PARTY OF	_T 33 - _R 43
File No	
DUPLICATE	territorial de la company de
	STATE OF MONTANA
	ADMINISTRATOR OF GROUNDWATER CODE
	OFFICE OF STATE ENGINEER JAN 17 1964
	Declaration of Vested Groundwater Rights
	(Under Chapter 237, Montana Session Laws, 1961)
	(Under Chapter 237, Montana Session Dans, 2007)
4.1	M. Q. I listle I mon Town
1 alfre	(Name of Appropriator) (Address) (Town)
	63 AB II
have approp	state of
	2. The beneficial use on which the claim is based.
X	The second secon
	3. Date or approximate date of earliest beneficial use; and how contin
	ous the use has been 1941.7
	1 1 2/4 miles inches on gall
	4. The amount of groundwater claimed (in miner's inches or gall
	per minute).
	5. If used for irrigation, give the acreage and description of the late to which water has been applied and name of the owner then
	5
NW W NW So	
	35 T35 R 43
Indicate point	t of appropriation se, if possible. Each for the manns of withdrawing such water from the ground and the learning to the manner of withdrawing such water from the ground and the learning to the manner of withdrawing such water from the ground and the learning to the ground and the ground and the learning to the ground and the ground an
Indicate point	t of appropriation se, if possible. Each represents 10 acres. 6. The means of withdrawing such water from the ground and the learning such water from the ground s
Indicate point	t of appropriation se, if possible. Each for the manns of withdrawing such water from the ground and the learning to the manner of withdrawing such water from the ground and the learning to the manner of withdrawing such water from the ground and the learning to the ground and the ground and the learning to the ground and the ground an
Indicate point and place of u small square	t of appropriation se, if possible. Each represents 10 acres. 6. The means of withdrawing such water from the ground and the learning tion of each well or other means of withdrawal for the second s
Indicate point and place of u small square	t of appropriation se, if possible. Each represents 10 acres. 6. The means of withdrawing such water from the ground and the leach represents 10 acres. tion of each well or other means of withdrawal fellows.
Indicate point and place of u small square	t of appropriation se, if possible. Each represents 10 acres. 6. The means of withdrawing such water from the ground and the least tion of each well or other means of withdrawal fellows. e of commencement and completion of the construction of the well, wells, or other works for well groundwater 17 4 7
Indicate point and place of u small square	t of appropriation se, if possible. Each represents 10 acres. 6. The means of withdrawing such water from the ground and the learning tion of each well or other means of withdrawal for the second s
Indicate point and place of usuall square in the square in	t of appropriation se, if possible. Each represents 10 acres. 6. The means of withdrawing such water from the ground and the lation of each well or other means of withdrawal fellows. e of commencement and completion of the construction of the well, wells, or other works for well groundwater.
Indicate point and place of usuall square of the square of	t of appropriation se, if possible. Each represents 10 acres. 6. The means of withdrawing such water from the ground and the lation of each well or other means of withdrawal fellows tion of each well or other means of withdrawal fellows to of commencement and completion of the construction of the well, wells, or other works for we groundwater 1747
Indicate point and place of usuall square in the square in	t of appropriation se, if possible. Each represents 10 acres. 6. The means of withdrawing such water from the ground and the lation of each well or other means of withdrawal for withdrawal for well or other means of withdrawal for well or other works for well or other table. 36 for well or other works for well or water table 36 for well or water table 36 for well or the general specifications of any or the general
Indicate point and place of usuall square in the square in	t of appropriation se, if possible. Each represents 10 acres. 6. The means of withdrawing such water from the ground and the lation of each well or other means of withdrawal fellows tion of each well or other means of withdrawal fellows to of commencement and completion of the construction of the well, wells, or other works for we groundwater 1747
Indicate point and place of usuall square in the square in	t of appropriation se, if possible. Each represents 10 acres. 6. The means of withdrawing such water from the ground and the lation of each well or other means of withdrawal for withdrawal for well or other means of withdrawal for well or other works for well or other table. 36 for well or other works for well or water table 36 for well or water table 36 for well or the general specifications of any or the general
Indicate point and place of usuall square in the square in	t of appropriation se, if possible. Each represents 10 acres. 6. The means of withdrawing such water from the ground and the lation of each well or other means of withdrawal for withdrawal for well or other means of withdrawal for well or other works for well or other table. 36 for well or other works for well or water table 36 for well or water table 36 for well or the general specifications of any or the general
Indicate point and place of usual square of the square of	t of appropriation se, if possible. Each represents 10 acres. 6. The means of withdrawing such water from the ground and the lation of each well or other means of withdrawal for withdrawal for well or other means of withdrawal for well groundwater. 6. The means of withdrawing such water from the ground and the lation of each well or other means of withdrawal for well or other works for well groundwater. 6. The means of withdrawing such water from the ground and the lation of each well or other means of withdrawal for withdrawal for works for well or water table. 8. It may be available, the type, size and depth of each well or the general specifications of any of the withdrawal of groundwater.
Indicate point and place of usuall square is mail square in the square is square in the square in the square in the square is square in the square in the square in the square is square in the square in the square is square in the square in the square in the square is square in the square in the square in the square is square in the square	t of appropriation se, if possible. Each represents 10 acres. 6. The means of withdrawing such water from the ground and the lation of each well or other means of withdrawal for well or other means of withdrawal for well or other works for well or other table. It is a six may be available, the type, size and depth of each well or the general specifications of any of the withdrawal of groundwater.
Indicate point and place of usuall square is mail square in the square is square in the square in the square in the square is square in the square in the square in the square is square in the square in the square is square in the square in the square in the square is square in the square in the square in the square is square in the square	t of appropriation se, if possible. Each represents 10 acres. 6. The means of withdrawing such water from the ground and the lation of each well or other means of withdrawal for well or other means of withdrawal for well or other works for well or other table. It is a six may be available, the type, size and depth of each well or the general specifications of any of the withdrawal of groundwater.
Indicate point and place of usuall square is mail square in the square is square in the square in the square in the square is square in the square in the square in the square is square in the square in the square is square in the square in the square in the square is square in the square in the square in the square is square in the square	t of appropriation se, if possible. Each represents 10 acres. 6. The means of withdrawing such water from the ground and the lation of each well or other means of withdrawal fell tion of each well or other means of withdrawal fell tion of each well or other works for well groundwater 17 4 7 a of water table. 36 fell times and depth of each well or the general specifications of any of the withdrawal of groundwater 4 8 fell times and depth of each well or the general specifications of any of the withdrawal of groundwater 4 8 fell times and depth of each well or the general specifications of any of the withdrawal of groundwater withdrawn each year 10 9, 5 cm. The means of withdrawal groundwater withdrawn each well if available. Name and the lating of each well if available. Name and the lating of each well if available.
Indicate point and place of usuall square is mail square in the square is square in the square in the square in the square is square in the square in the square in the square is square in the square in the square is square in the square in the square in the square is square in the square in the square in the square is square in the square	t of appropriation se, if possible. Each represents 10 acres. 6. The means of withdrawing such water from the ground and the lation of each well or other means of withdrawal fell from the groundwater. e of commencement and completion of the construction of the well, wells, or other works for well groundwater. n of water table. 36 s it may be available, the type, size and depth of each well or the general specifications of any of the withdrawel of groundwater. The withdrawel of groundwater withdrawn each year. The means of withdrawing such water from the ground and the lating and the lating such well or the well, wells, or other works for well in the general specifications of any or the withdrawel of groundwater withdrawn each year.
Indicate point and place of usual square is square in the square in the square in the square is square in the square in the square in the square in the square is square in the square	t of appropriation se, if possible. Each represents 10 acres. 6. The means of withdrawing such water from the ground and the lation of each well or other means of withdrawal for withdrawal for well or other means of withdrawal for well groundwater. 6. The means of withdrawing such water from the ground and the lation of each well or other means of withdrawal for well groundwater. 6. The means of withdrawing such water from the ground and the lation of each well or other means of withdrawal for well and the well, wells, or other works for well it may be available, the type, size and depth of each well or the general specifications of any of the withdrawal of groundwater. 7. The means of withdrawing such water from the ground and the lation of each well or other means of withdrawal for well in the drilling of each well if available. 8. The means of withdrawal ground and the lation of each well or other means of withdrawal for whithdrawal for whithdrawal for well in the drilling of each well if available. 8. The means of withdrawal ground and the lation of each well or other means of withdrawal for whithdrawal for
7. The dat drawal of some solutions of the depth of the solution of the soluti	t of appropriation se, if possible. Each represents 10 acres. 6. The means of withdrawing such water from the ground and the latence of commencement and completion of the construction of the well, wells, or other works for we groundwater 17.47 a of water table 36 it may be available, the type, size and depth of each well or the general specifications of any of the withdrawal of groundwater 4.8 the withdrawal of groundwater withdrawn each year 10.9, 5.00 in the withdrawal of groundwater withdrawn each year 10.9, 5.00 in the withdrawal of groundwater withdrawn each year 10.9, 5.00 in the withdrawal of groundwater withdrawn each year 10.9, 5.00 in the withdrawal of groundwater withdrawn each year 10.9, 5.00 in the withdrawal of groundwater withdrawn each year 10.9, 5.00 in the withdrawal of groundwater withdrawn each year 10.9, 5.00 in the withdrawal of groundwater withdrawn each year 10.9, 5.00 in the withdrawal of groundwater withdrawn each year 10.9, 5.00 in the withdrawal of groundwater withdrawn each year 10.9, 5.00 in the withdrawal of groundwater withdrawn each year 10.9, 5.00 in the withdrawal of groundwater withdrawn each year 10.9, 5.00 in the withdrawal of groundwater withdrawn each year 10.9, 5.00 in the withdrawal of groundwater withdrawn each year 10.9, 5.00 in the withdrawal of groundwater withdrawn each year 10.9, 5.00 in the withdrawal of groundwater withdrawn each year 10.9, 5.00 in the withdrawal of groundwater withdrawn each year 10.9, 5.00 in the withdrawal of groundwater withdrawn each year 10.9, 5.00 in the withdrawal of groundwater withdrawn each year 10.9, 5.00 in the withdrawal of groundwater withdrawn each year 10.9, 5.00 in the withdrawal of groundwater withdrawn each year 10.9, 5.00 in the withdrawal of groundwater withdrawn each year 10.9, 5.00 in the withdrawal of groundwater withdrawn each year 10.9, 5.00 in the withdrawal of groundwater withdrawn each year 10.9, 5.00 in the withdrawal of groundwater withdrawn each year 10.9, 5.00 in the withdrawal of gr
7. The dat drawal of some solutions of the depth of the solution of the soluti	t of appropriation se, if possible. Each represents 10 acres. 6. The means of withdrawing such water from the ground and the lation of each well or other means of withdrawal. e of commencement and completion of the construction of the well, wells, or other works for well groundwater. f of water table. 36 s it may be available, the type, size and depth of each well or the general specifications of any of the withdrawal of groundwater. The withdrawal of groundwater withdrawn each year 10.9. The material amount of groundwater withdrawn each year 10.
7. The dat drawal of some solutions of the depth of the solution of the soluti	t of appropriation se, if possible. Each represents 10 acres. 6. The means of withdrawing such water from the ground and the latence of commencement and completion of the construction of the well, wells, or other works for we groundwater 17.47 a of water table 36 it may be available, the type, size and depth of each well or the general specifications of any of the withdrawal of groundwater 4.8 the withdrawal of groundwater withdrawn each year 10.9, 5.00 in the withdrawal of groundwater withdrawn each year 10.9, 5.00 in the withdrawal of groundwater withdrawn each year 10.9, 5.00 in the withdrawal of groundwater withdrawn each year 10.9, 5.00 in the withdrawal of groundwater withdrawn each year 10.9, 5.00 in the withdrawal of groundwater withdrawn each year 10.9, 5.00 in the withdrawal of groundwater withdrawn each year 10.9, 5.00 in the withdrawal of groundwater withdrawn each year 10.9, 5.00 in the withdrawal of groundwater withdrawn each year 10.9, 5.00 in the withdrawal of groundwater withdrawn each year 10.9, 5.00 in the withdrawal of groundwater withdrawn each year 10.9, 5.00 in the withdrawal of groundwater withdrawn each year 10.9, 5.00 in the withdrawal of groundwater withdrawn each year 10.9, 5.00 in the withdrawal of groundwater withdrawn each year 10.9, 5.00 in the withdrawal of groundwater withdrawn each year 10.9, 5.00 in the withdrawal of groundwater withdrawn each year 10.9, 5.00 in the withdrawal of groundwater withdrawn each year 10.9, 5.00 in the withdrawal of groundwater withdrawn each year 10.9, 5.00 in the withdrawal of groundwater withdrawn each year 10.9, 5.00 in the withdrawal of groundwater withdrawn each year 10.9, 5.00 in the withdrawal of groundwater withdrawn each year 10.9, 5.00 in the withdrawal of groundwater withdrawn each year 10.9, 5.00 in the withdrawal of groundwater withdrawn each year 10.9, 5.00 in the withdrawal of groundwater withdrawn each year 10.9, 5.00 in the withdrawal of groundwater withdrawn each year 10.9, 5.00 in the withdrawal of gr
7. The dat drawal of some solutions of the depth of the solution of the soluti	t of appropriation se, if possible. Each represents 10 acres. 6. The means of withdrawing such water from the ground and the lation of each well or other means of withdrawal. e of commencement and completion of the construction of the well, wells, or other works for well groundwater. f of water table. 36 s it may be available, the type, size and depth of each well or the general specifications of any of the withdrawal of groundwater. The withdrawal of groundwater withdrawn each year 10.9. The material amount of groundwater withdrawn each year 10.

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; Duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology, and Quadruplicate for the Appropriator.

STATE OF MENTANA. | POPER OF VALUE OF THE PROPERTY OF VALUE OF THE PROPERTY OF

MARY TOTAL CHARACTER SECONDER

		Approved Stock Pan	m-Stale Publishing Co., Helena, Montana-42234	
G'			_〒 3 5 ~ _R 4 3 /	J
File No.			County Halley	
DUPLICATE	ST	ATE OF MONTANA	T 10 mg	
	ADMINISTRA OFFICE	TOR OF GROUNDWAY OF STATE ENGINEE	rer code UL Jan 17 1964)
	eclaration of	Vested Ground 237, Montana Session I	water Rights IE ENGIN	ILER
	C		of 1 m t	
alful n.	Digham of American	, of Kief	dress) (Town)	
County of Lel	of Apprepriator)	All the control of th	effect prior to January 1, 1962, as i	follows:
have appropriated g			Mond	1
	2	The beneficial use on w	hich the claim is based	
	3.	Date or approximate d	ate of earliest beneficial use; and how	w continu
	4	The amount of groun per minute)	dwater claimed (in miner's inches	or gallon
			4	
•		If used for irrigation, to which water has l	give the acreage and description of seen applied and name of the own	the land er therec
NN 1/1 N Sec. 35 T.			Section 2	
Indicate point of an and place of use, if pos small square represent	sible. Each	tion of each well or ot	wing such water from the ground an	
		oung fa		
7. The date of condrawal of ground	nmencement and completivater 1956	tion of the construction	of the well, wells, or other works	s for wit
	64			
8. The depth of wat	er table	aire and death of each	well or the general specifications o	of any oth
9. So far as it may works for the wit	be available, the type hdrawal of groundwate	s, size and depth of each	well or the general specifications of	7
3 yz ane	x eyendi			<i>V</i>
10. The estimated ar	nount of groundwater	withdrawn each year.	,095,000	. / /
11. The log of form	tions encountered in th	e drilling of each well is	available. None are	Natt
12. Such other info reference to bool	mation of a similar na	ture as may be useful ity record number	n carrying out the policy of this a	ict, includ
And exhibiting an artist of the second and a second a second and a second a second and a second	engenerale en de trester (en en e	andre i de la companya del companya del companya de la companya de		
		Signature	of Owner Affel M. D. Date Dec. 30, 1	963
			order of the county in which the w	

Original to the County Clerk and Recorder; Durlicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology, and Quadruplicate for the Appropriator.

Statu ed Romaña, **(** 108. Genez el Velez-Freido escol

DEC 30 1963

MARY LOU FIDE Clerk & Recorder

Valley County

Signature of Owner.

12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record.

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

reference to book and page of any county record ...

Original to the County Clerk and Recorder; Duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology, and Quadruplicate for the Appropriator.

18279

County of Velloy.

Filed for recove

DEC 30 1963

MARY LOW STATE Charles Recorder

Velley Conny Deputy

DUPLIC	ATE	A STATE OF S				29 19			- 100	Cor	inty Val	Ley	,
		The second of th	LOG	Bire					STATE	OF MON	TANA	1	
	10 mm	Gronn		Co.	· <u></u>	in the	numa A	ADMINIST OF			ndwate Enginee		1.0
	X' A	MACOOC	الاذا	Daylinks	Th	514II		THE PERSON NAMED IN COLUMN TWO IS NOT THE PERSON NAMED IN COLUMN TWO IS NAMED IN COLUMN TW			20 . a		
	(Elev.	above i	sea lev	el Dickon)			ice of (A JAMES		**************************************	ter
1 /	2010		-1.			100 mm 10	•	Appropr			eans c WARY 1		
	20'C	ray	C-0	Y :				(Under Char		Control of the contro	wine the		
	:	1.00											,
_		3000		To the second se	And the second s	Owner.	AL	Fred N	Digl	2784ddr	css. R1.	hlan	d
-								red N.			260		
- 1	80	BLU	e El	a J				ee of approp				A STATE OF THE REAL PROPERTY.	
†			-	7				rted Oct.				Material Print	
	-			10 mm and 10 mm				-	-				
 	10 %	7	. S	of S	Same	Type of (Dug,	f wel Drive	Dug n, bored fr dr	illed)	Equipm (Chur	ent used., n drill, rota	ry or other)	Jug
			<i>y</i>		-,	Water		Domestic	□ Mu	nicipal 🔲			gation [
	-					-	***	Industrial		ainage 🔲		er 🛮	
			••			met wit	h in	on the diagra drilling, such	as soil;	clay, shale	gravel, r	oek or sand	, etc. Sl
						depth a strata a	t which	ch water is e light to which	ncountere h the wat	d, thickne er rises in	ss and cha the well.	racter of w	ater-bear
					:	Size		Size and	From	To	T	Den Pon Latio	
		4.	.gr		- · .	Drille Floi	d	Weight of Casing	(Feet)	(Feet)	Klud	PERFORATION From	To
			*.			16	-jl	12"	/	60	Size 11	(Feet)	(Feet)
								926			7.4	3.	60
4	-							and a control of				1	1
							- 5	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		F		-	
		*-	- : : .			i s Fi		34.7	2.77				
– 1								!		1	<u> </u>	<u> </u>	1
						1	 -	N .	s	tatic Wat	er Level	for non-fl	270
ΓΙ						×	į			hat in Dag	compo for I	la.fl.fl.fl. lowing Wo	11
			eran in an an		100 mm							20 UA	
		The second se				w	<u> </u>		E			l, per minu	
	-	er seg							1		_	min, of fl	
						. 1985 2 - 7 5							7.22
										low Tested		lexand	agge
						<u> </u>		<u> </u>	니 I	ength of	Cest of .44.	les	
				and the second					44.00		_	eking, ceme	nting, pa
					N	W1/4		35 T 35 1	R. 7. 3	rs, type of	shutoff)		· · · · · · · · · · · · · · · · · · ·
	¥.							tion of well if possible.		1.04.	1	Jean	gra
	1		The Control of the Co		4.			e represent		a T	II I		75. A
-		No. of the second				acres.				7			
-						er and electrical	aireachann.	romania de la composition della composition dell	camero e estados	200 C C C C C C C C C C C C C C C C C C	(0		
- i					4. 1	USF	fnen	d for irriga	tion indi	netrial : d-		other Ex	
						n	umbe	r-of acres an	d locatio	n or other	data (i.e.	Lot, Block	and Ac
						1	on).	لأسدير أ	t. 1	00			
-	ş					in the second							
	Show	xact de	pth of	bottom.									
vacai-	,	- ottoer in Figure	, a com diffusion	Table - Control of the Control of th	-	************			Section Section 1	Maria de la companya		บาร์การเการเ รายาจั	The second secon
This form	n to hains	engrad h	v della	e and the	on conto	e to he	iled h	the owner w	th the	<u> </u>			
" terts TAPIN	" on no hr	oficer err D	for Allen	-, const till	train	Law of L	. laant	ed, tissue copy	to ho	Driller	's License	Number	

कार्र क्रिकेट कुन्नार म

1、 教育工工工等等人 Jerus . . . Samel

STATE OF MONTANA, S. County of Valley. Filed for record

MAR 281967

Mo. Oroperan

張った なっろ

137 167

Committee Address and David Manager Committee Committee

ROBERTHAN LIPS MPS

THE CONTRACTOR OF THE PARTY OF

特别 农产 组织

TO A THE SECTION OF THE PROPERTY OF THE PROPER

Faragon and Charles

Appropriation and strains a

THE SMITTHE

	Appropriation Type	county File #
Sec.	Appropriator Form Arnold, Ray well log	424344
12	11	424343
15	partman, 1806	425359
17	Mogan, Bros GWB	439217 438589
31	Lacock, Sherman R. GWH Johnsonel, Solied GW3	439019
33	UONISPER Y SOFIE O	

milita.

T 34 R 35 2 County Validy

	MONTANA BUREA B	U OF MINES ANI utte, Montana	D GEOLOGY CELV	
	WA1	TER WELL LOG	STATEZENGI	NEER Z
	Owner Bay	wed	Address HIIII	alifin
T X	Driller Hay A	horels	Address Bl. gar	a, 11/100
a de la constantina della cons	De Started Apr	5,1961	Date Completed.	pt. 7,19
	Location: Sec2	134 R 3	5 4 sec 5 W IV E	
Type of well	(Dug. driven, bored, or drilled)	Equipment us	ed (Churn drift, rotary,	other)
Water use: Domestic	~		ock Irrigation	m 🔲
Industria			Size 4/3	11
Casing:	11. to 336 1t.		Size	-
	ft. toft.		Size	
Perforated or Screen	3/01 14/1	727	to ft	- Control of the Cont
Type of screen or peri	r non-flowing well:			feet.
Snut-in pressure, for		lb./sq. in	on: (date)	
Pumping water level	147 .	laran miring di	gal. per min	
NOW CERCEA	ded 5 hours			
Penkmin nor	packing, cementing, packer	type of shut-off, (lepth of shut-off)	
O-15/t b	inch surfa	e inny		
A company of the control of the cont		er annabation (in the letter of the later of		a Pandija programovi sera godini se popularije.
College College of the College		(over)	en e	nonensoperage recognition for the second

	The second secon	Log of Well	
Dept	h, feet To	Description of Material Drilled	
0	5	toposil	
5	9	gravel	
9	48	Clay	
48	60	blue clay	
60	64	Rock 49h	
64	233	Judith Kiner formation.	<u> </u>
233	234	Rock 4	
234	264	Judith River formation	
264	265	Kock 5	
265	336	findith Kiver formation	The second second
,			
· 		R P R CA	
		to the state of th	
-		SEP VALUE	· · · · · · · · · · · · · · · · · · ·
		1963)	
	<u>111 - 119</u> 7		
The second secon			
		÷	
• 1000000000000000000000000000000000000			

Tagener.

(over)

How tested:.....

Depth	ı, feet	
From	То	Description of Material Drilled
0	17	class
17	31	sand and gravel Judith River from tion Rich 19
44.5 MOSE	136	Judita Biver frinalism
136	138	Rick 19
138	203	Quelette Civer formation
303	304	Rock 5"
304	310	Judith Ruse for ation
	312	Kick 17"
313		Gidell trung formation
3.35		Rock 37
238	386	Gudith Kine found time
· · · · ·		
** ** .		STATE OF D County of Filed for record
		0 240
	kisterii Nii alaa	MONT.
		S S S
		October 1988
		d d
	<u> </u>	
· · · · · · · · · · · · · · · · · · ·	1	
	<u>}</u>	
	-	

				: 13
_ 2	W.	251	5	•
T	e. r. e			
County	Valler	1		
Country	1		I	

MONTANA BUREAU OF MINES AND GEOLOGY Butte, Montana

WATER WELL LOG

			Address // / 5 d - d
Drille	er(Address
			The Completed II // ///
Date	Started		Date Completed/
Too	tion: Sec /5 T	34 R 35 4	sec. SE
	and the state of t	The series of Control of the Control	Control for the form of the first of the series of the property of the series of the s
vne of well	144	Equipment used	(Churn drill, rotary, other)
Water use: Domestic	Municipal	Stock	Irrigation
			Part & Austria Process Color (1997)
and the second s	Drainage		-
esting: Tape ft. to	240 ft.	Type. 4. 2. 6. 6. 6. 6. 6. 6. 6. 6. 6. 6. 6. 6. 6.	/ Size // - 5 />
/85III8			Size
Jasing:ft. to)		
Casing:ft. to	y a series of the	Туре	Size
Corooped: Ft	7 / 73 to ft	7 2 Ft	to ft
	and the contract of the contra		
Type of screen or perforation	B4 3		
Static Water level, for non-fl	owing well:		
Shut-in pressure, for flowing		1b./sg. in. on:	
the contract of the contract o	and the first of the control of the	the second secon	and the same of th
Dumning water level	(,) feet	at	gal per min
The state of the s	THE REPORT OF THE PARTY OF THE		
How tested:			
Length of test	40-7		
Remarks: (Gravel packing	cementing packers, t	ppe of shut-off, depth	n of shut-off)
Remarks: (Graver packing	,		
		A STATE OF THE PARTY OF THE PAR	- New college of the state of t
	K. Chaman and the commence of		
A STANDARD S			
		ar d'agrada	
	*************************************		***************************************
and the second second		********************	
		(over)	and the second of the second o

1
~3
1
0
0

(1) (1) (1) (1) (1) (1) (1) (1) (1) (1)	A CONTROL OF THE PROPERTY OF T	
The state of the s		
		Log of Well
	ı, feet	Description of Material Drilled
From	То	
3.1		totto au CI o y
		Zw.
7 000	14-0	
1775	144	Rock
144	7502	Samue 76 very Charles Could
13 13 2 13 15 91	250	Shirta
200	238	Sandolome
.30	234	Rock .
- J.J.y	240	Sands Jewes a Last
10 13 (J.Fa 1 (18 14 (J.Fa		
Comment of the Commen		
		STATE OF COMPA
		TIE OF MOO Comity of VA
		96.
eran i Peril yayan in is	James James S	office of a problem of a second problem of the contract of the

		Log	of Well			
Depth, feet	Des	scription of Mai	terial Drilled			
	70%	3,70	eri erre E	y praeds (Chief Mi		
3 4	4	10000	as a	<u> </u>		
6y 7	0 - 1 - 11	5.5	ndsten			
70 19	10 Sho	<u> </u>	Palya Palya and Palya		Section 2 Company	
190-14	14 Roc	13		<u> </u>		
- [यप ।ऽ	0 Same	1570ne	4 Shice	- (0 m G)		
15-6- 21	ر کم کی اور		ta yir Ariba Angelan (1984 - 1994)		The second secon	The second secon
	30 San	de toux	* w : 7 e		Addition to the second	The second secon
	34 Rec					
37 y -:).	TÓ San	Jene.	f water			
			in the second se			
	A constant of the constant of		eraji w.			Hard Street of Control
				Adding the Art of the Art		
	mandalistic de la companya de la com					SPACE THE LANG.
			2005			
		1 2				
14	*		STATE OF County	· · · · · · · · · · · · · · · · · · ·	a and the same of the same same of the sam	
		*	or of M		ويتسمين والمناطقين	<u> </u>
		S 13 S	MONTANA;	<u> </u>		
	110	# 11V C. No		· · · · · · · · · · · · · · · · · · ·	· ·	
	D gu	7 96 1 96				
		•				

ALLEGA MAN AND THE MANAGEMENT

	Approved S.der Form—State Full-Bank 134 / R 35 F
e No.	CountyValley
JPLICATE	STATE OF MONTANA
Control of the Contro	ADMINISTRATOR OF GROUNDWATER CODE
	OFFICE OF STATE ENGINEER JAN 16 1964
	Declaration of Vested Groundwater Rights (Under Chapter 237, Montana Session Laws, 1961)
MOGAN BROT	HERS of Hinsdale Name of Appropriator) (Address) (Town)
THE GOVERNMENT OF A STATE OF THE STATE OF TH	Montana
	d groundwater according to the Montana laws in effect prior to January 1, 1962, as follows: 1. Stock well
	N 2. The beneficial use on which the claim is based 2. Household.
X	
	3. Date or approximate date of earliest beneficial use; and how continu-
	ous the use has been 1. 1940 - continuous
v	F
	4. The amount of groundwater claimed (in miner's inches or gallons
	per minute) 1. 10 gallons per minute 2. 5 gallons per minute
X	
	5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof
SWŁ, NWŁ	m 2/ P 36
Sec.17	т. 34. п. 35
Indicate point of and place of use, it small square repre	appropriation possible. Each 6. The means of withdrawing such water from the ground and the loca- esents 10 acres.
and place of use, it small square representations. 7. The date of	appropriation i possible. Each esents 10 acres. 6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal. 1. Electric pump 2. Electric pump commencement a 1 completion of the construction of the well, wells, or other works for with-
and place of use, it small square representations of the date of drawal of gr	appropriation possible. Each esents 10 acres. 6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal 1. Electric pump 2. Electric pump commencement a 1 completion of the construction of the well, wells, or other works for withoundwater 1. 1940 2. 1915
and place of use, it small square representations. 7. The date of drawal of gr	appropriation possible. Each esents 10 acres. 6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal 1. Electric pump 2. Electric pump commencement a 1 completion of the construction of the well, wells, or other works for withoundwater 1. 1940 2. 1915
and place of use, it small square reprised. 7. The date of drawal of gramals. 8. The depth of	appropriation i possible. Each esents 10 acres. 6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal 1. Electric pump 2. Electric pump commencement a 1 completion of the construction of the well, wells, or other works for withoundwater 1. 1940 2. 1915 water table. 1. 15 feet 2. 45 feet
and place of use, it small square reprised. 7. The date of drawal of gramals. 8. The depth of	appropriation i possible. Each esents 10 acres. 6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal 1. Electric pump 2. Electric pump 2. Electric pump 2. 1940 2. 1915 water table. 1. 15 feet 2. 45 feet may be available, the typ2, size and depth of each well or the general specifications of any other withdrawal of groundwater 1. 17! deep, 24" casing, 1" pipe 2. 50! deep, 18" casing, 12" pipe
and place of use, it small square reprised. 7. The date of drawal of gramals. 8. The depth of	appropriation i possible. Each esents 10 acres. 6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal 1. Electric pump 2. Electric pump commencement a 1 completion of the construction of the well, wells, or other works for withoundwater 1. 1940 2. 1915 water table. 1. 15 feet 2. 45 feet
and place of use, it small square reprint a square reprin	appropriation I possible. Each esents 10 acres. 6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal 1. Electric pump 2. Electric pump commencement a 1 completion of the construction of the well, wells, or other works for withoundwater 1. 1940 2. 1915 water table. 1. 15 feet 2. 45 feet may be available, the typ2, size and depth of each well or the general specifications of any other withdrawal of groundwater 1. 17! deep, 24! casing, 1! pipe 2. 50! deep, 18! casing, 12! pipe
and place of use, it small square reprise for the date of drawal of gr. 8. The depth of 9. So far as it works for the	appropriation I possible. Each esents 10 acres. 6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal 1. Electric pump 2. Electric pump commencement a 1 completion of the construction of the well, wells, or other works for withoundwater 1. 1940 2. 1915 water table. 1. 15 feet 2. 45 feet may be available, the typ2, size and depth of each well or the general specifications of any other withdrawal of groundwater 1. 17! deep, 24" casing, 1" pipe 2. 50! deep, 18" casing, 1½" pipe 1. 300,000 gallons per year 3. amount of groundwater withdrawn each year 2. 25,000 gallons per year
and place of use, it small square reprise for the date of drawal of gr. 8. The depth of 9. So far as it works for the	appropriation possible. Each esents 10 acres. 6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal 1. Electric pump 2. Electric pump 3. Electric pump 4. 1. 1940 4. 1915 water table. 1. 15 feet 2. 45 feet may be available, the type, size and depth of each well or the general specifications of any other withdrawal of groundwater. 1. 17! deep, 24! casing, 1! pipe 2. 50! deep, 18! casing, 1½! pipe 1. 3.00,000 gallons per year a amount of groundwater withdrawn each year. 2. 25,000 gallons per year
and place of use, it small square reprise for the date of drawal of gr. 8. The depth of 9. So far as it works for the	appropriation I possible. Each esents 10 acres. 6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal 1. Electric pump 2. Electric pump commencement a 1 completion of the construction of the well, wells, or other works for withoundwater 1. 1940 2. 1915 water table. 1. 15 feet 2. 45 feet may be available, the typ2, size and depth of each well or the general specifications of any other withdrawal of groundwater 1. 17! deep, 24! casing, 1! pipe 2. 50! deep, 18! casing, 12! pipe
and place of use, if small square representations of the date of drawal of gr. 8. The depth of 9. So far as it works for the depth of the date of drawal of gr. 10. The estimate of factorized in the date of th	appropriation possible. Each esents 10 acres. 6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal 1. Electric pump 2. Electric pump 2. Electric pump 2. Electric pump 2. 1940 2. 1915 water table. 1. 15 feet 2. 45 feet may be available, the typ2, size and depth of each well or the general specifications of any other withdrawal of groundwater 1. 17' deep, 24'' casing, 1'' pipe 2. 50' deep, 18'' casing, 1'' pipe 1. 300,000 gallons per year a amount of groundwater withdrawn each year 2. 25,000 gallons per year ormations encountered in the drilling of each well if available.
and place of use, it small square reprint the date of drawal of gr. 8. The depth of 9. So far as it works for the depth of 10. The estimate 11. The log of far as it depth of far as it works for the	appropriation I possible. Each esents 10 acres. 6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal 1. Electric pump 2. Electric pump 2. Electric pump 2. Electric pump 2. 1940 2. 1915 water table. 1. 15 feet 2. 45 feet may be available, the typ2, size and depth of each well or the general specifications of any other withdrawal of groundwater. 1. 17! deep, 24! casing, 1! pipe 2. 50! deep, 18" casing, 1½! pipe 1. 300,000 gallons per year 2. 25,000 gallons per year a amount of groundwater withdrawn each year. 2. 25,000 gallons per year information of a similar nature as may be useful in carrying out the policy of this act, including information of a similar nature as may be useful in carrying out the policy of this act, including
and place of use, it small square reprint the date of drawal of gr. 8. The depth of 9. So far as it works for the depth of 10. The estimate 11. The log of far as it depth of far as it works for the	appropriation I possible. Each esents 10 acres. 6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal 1. Electric pump 2. Electric pump 2. Electric pump 2. Electric pump 2. 1940 2. 1915 water table. 1. 15 feet 2. 45 feet may be available, the typ2, size and depth of each well or the general specifications of any other withdrawal of groundwater. 1. 17! deep, 24! casing, 1! pipe 2. 50! deep, 18" casing, 1½! pipe 1. 300,000 gallons per year 2. 25,000 gallons per year a amount of groundwater withdrawn each year. 2. 25,000 gallons per year information of a similar nature as may be useful in carrying out the policy of this act, including information of a similar nature as may be useful in carrying out the policy of this act, including
and place of use, it small square reprint the date of drawal of gr. 8. The depth of 9. So far as it works for the depth of 10. The estimate 11. The log of far as it depth of far as it works for the	appropriation possible. Each seents 10 acres. 6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal 1. Electric pump 2. Electric pump commencement a 1 completion of the construction of the well, wells, or other works for withoundwater 1. 1940 2. 1915 water table. 1. 15 feet 2. 45 feet may be available, the type, size and depth of each well or the general specifications of any other withdrawal of groundwater 1. 17! deep, 24! casing, 1! pipe 2. 50! deep, 18! casing, 1! pipe 1. 300,000 gallons per year a amount of groundwater withdrawn each year 2. 25,000 gallons per year ormations encountered in the drilling of each well if available. information of a similar nature as may be useful in carrying out the policy of this act, including book and page of any county record
and place of use, it small square reprint the date of drawal of gr. 8. The depth of 9. So far as it works for the depth of 10. The estimate 11. The log of far as it depth of far as it works for the	appropriation possible. Each seents 10 acres. 6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal 1. Electric pump 2. Electric pump commencement a 1 completion of the construction of the well, wells, or other works for withoundwater 1. 1940 2. 1915 water table. 1. 15 feet 2. 45 feet may be available, the type, size and depth of each well or the general specifications of any other withdrawal of groundwater 1. 17! deep, 24! casing, 1! pipe 2. 50! deep, 18! casing, 1! pipe 1. 300,000 gallons per year a amount of groundwater withdrawn each year 2. 25,000 gallons per year ormations encountered in the drilling of each well if available. information of a similar nature as may be useful in carrying out the policy of this act, including book and page of any county record
and place of use, it small square reprint the date of drawal of gr. 8. The depth of 9. So far as it works for the depth of 10. The estimate 11. The log of far as it depth of far as it works for the	appropriation possible. Each seents 10 acres. 6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal 1. Electric pump 2. Electric pump commencement a 1 completion of the construction of the well, wells, or other works for withoundwater 1. 1940 2. 1915 water table. 1. 15 feet 2. 45 feet may be available, the type, size and depth of each well or the general specifications of any other withdrawal of groundwater 1. 17! deep, 24! casing, 1! pipe 2. 50! deep, 18! casing, 1! pipe 1. 300,000 gallons per year a amount of groundwater withdrawn each year 2. 25,000 gallons per year ormations encountered in the drilling of each well if available. information of a similar nature as may be useful in carrying out the policy of this act, including book and page of any county record
and place of use, if small square representations of the date of drawal of gr. 8. The depth of 9. So far as it works for the depth of 10. The estimate 11. The log of f.	appropriation possible. Each sents 10 acres. 6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal 1. Electric pump 2. Electric pump commencement a completion of the construction of the well, wells, or other works for withoundwater 1. 1940 2. 1915 water table 1. 15 feet 2. 45 feet may be available, the typ2, size and depth of each well or the general specifications of any other withdrawal of groundwater 1. 17! deep, 24! casing, 1! pipe 2. 50! deep, 18! casing, 1½! pipe 1. 300,000 gallons per year a amount of groundwater withdrawn each year 2. 25,000 gallons per year ormations encountered in the drilling of each well if available. Signature of Owner (2, 2, 2) 176.7
and place of use, it small square reproduces to learn and the same and	appropriation possible. Each seents 10 acres. 6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal 1. Electric pump 2. Electric pump commencement a 1 completion of the construction of the well, wells, or other works for withoundwater 1. 1940 2. 1915 water table. 1. 15 feet 2. 45 feet may be available, the type, size and depth of each well or the general specifications of any other withdrawal of groundwater 1. 17! deep, 24! casing, 1! pipe 2. 50! deep, 18! casing, 1! pipe 1. 300,000 gallons per year a amount of groundwater withdrawn each year 2. 25,000 gallons per year ormations encountered in the drilling of each well if available. information of a similar nature as may be useful in carrying out the policy of this act, including book and page of any county record

STATE OF MONTAINA Fast County of Valley Tribel for Kounty County of Valley Tribel for Kounty County of Valley Tribel for County of Valley Coun

ile No	Approved Stock Form—State Patients Co., Action, 189
OUPLICATE	County Valley
	STATE OF MONTANA ADMINISTRATOR OF GROUNDWATER CODE DECELV
	OFFICE OF STATE ENGINEER UU DEC 30 1963
	Declaration of Vested Groundwater Rights ENGINEER (Under Chapter 237, Montana Session Laws, 1961)
Parameter 1 - Company of the Company	
1 Sperm	and Lacock, of BOV134 Hunsdale Vame of Appropriator) (Address) (Town)
	Vame of Appropriator) (Address) (Town) (Address) (Address) (Town) (Address) (Town) (Address) (Address) (Town)
have appropri	ated groundwater according to the Montana has
	2. The beneficial use on which the claim is based
	The state of the s
	3. Date or approximate date of earliest beneficial use; and how continuous the use has been 1920 light transfer than
	tinuous the use has been 1920 the first agestack then control of the start agestack then
	The amount of groundwater elaimed (in miner's inches or gallons
	per minute) 10 gallon se ple unimente
	5 If used for irrigation, give the acreage and description of the lands
	5. If used for irrigation, give the acreage and description of the owner thereof to which water has been applied and name of the owner thereof
SW 1/SE Sec.	31-34-35
Indicate maint of	of appropriation
Indicate point of	of appropriation
Indicate maint of	of appropriation
Indicate point of and place of view Each small squares.	of appropriation use, if possible. 6. The means of withdrawing such water from the ground and the re represents 10 location of each well or other means of withdrawal fraction Sulf of Sci H of Sci I Journaly 34 Range 35
Indicate point of and place of v Each small squareces.	of appropriation use, if possible. 6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal fraction. Sulf of Sc. 14 of Sc. 3.1, Journally, 34 Range 35.
Indicate point of and place of v Each small squareces.	of appropriation use, if possible. 6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal grantly. Sufficiently for the well, wells, or other works for withdrawater 1770
Indicate point of and place of the Each small squares. 7. The date of drawal of granual of granual of granual control of the	of appropriation ise, if possible. 6. The means of withdrawing such water from the ground and the location of each well or other means of yithdrawal grants. 134, Kange 35. commencement and completion of the construction of the well, wells, or other works for withroundwater 1920.
Indicate point of and place of the Each small squares. 7. The date of drawal of grant of gra	of appropriation ase, if possible. 6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal grantly. Sulf of Sc. 14 of Sc. 3.1, Journally. Commencement and completion of the construction of the well, wells, or other works for wither oundwater. 1920 of water table. 3 feet.
Indicate point of and place of the Each small squares. 7. The date of drawal of grawal of grawa	of appropriation ase, if possible. 6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal grantly. Sulf of Sc. 14 of Sc. 3.1, Journally. Commencement and completion of the construction of the well, wells, or other works for wither oundwater. 1920 of water table. 3 feet.
Indicate point of and place of the Each small squares. 7. The date of drawal of grawal of grawa	of appropriation ise, if possible. 6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal grants. 134 Range 35 M of Lee 31, International Commencement and completion of the construction of the well, wells, or other works for withdrawater 1720 of water table 3 Lee 1 may be available, the type, size and depth of each well or the general specifications of any other
Indicate point of and place of the Each small squares. 7. The date of drawal of grawal of grawa	of appropriation ise, if possible. 6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal grants. 134, Range 35 commencement and completion of the construction of the well, wells, or other works for withdrawal end water 1970 of water table. 3 feel. I may be available, the type, size and depth of each well or the general specifications of any other he withdrawal of groundwater. 100 feet of the soulcast of the second specifications of any other he withdrawal of groundwater.
Indicate point of and place of the Each small squares. 7. The date of drawal of grawal of grawa	of appropriation are, if possible 6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal grantly. Commencement and completion of the construction of the well, wells, or other works for withdrawal of water table. The means of withdrawal of the general specifications of any other he withdrawal of groundwater. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal of withdrawal of groundwater. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal of withdrawal of groundwater. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal grantly.
Indicate point of and place of the Each small squares. 7. The date of drawal of grawal of grawa	of appropriation are, if possible 6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal grantly. Commencement and completion of the construction of the well, wells, or other works for withdrawal of water table. The means of withdrawal of the general specifications of any other he withdrawal of groundwater. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal of withdrawal of groundwater. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal of withdrawal of groundwater. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal grantly.
Indicate point of and place of the Each small squares. 7. The date of drawal of grawal of grawa	of appropriation are, if possible 6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal grantly. Commencement and completion of the construction of the well, wells, or other works for withdrawal of water table. The means of withdrawal of the general specifications of any other he withdrawal of groundwater. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal of withdrawal of groundwater. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal of withdrawal of groundwater. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal grantly.
Indicate point of and place of the Each small squares. 7. The date of drawal of grawal of grawa	of appropriation ise, if possible. 6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal grands. 134, Range 35. Hoffee 31, Range 35. Hof
Indicate point of and place of the Each small squares. 7. The date of drawal of grawal of grawa	of appropriation ise, if possible. 6. The means of withdrawing such water from the ground and the location of each well or other means of rithdrawal grands. 134, Kange 35, K. H. G. L.
Indicate point of and place of the Each small squares. 7. The date of drawal of grawal of grawa	of appropriation are, if possible 6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal grantly. Commencement and completion of the construction of the well, wells, or other works for withdrawal of water table. The means of withdrawal of the general specifications of any other he withdrawal of groundwater. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal of withdrawal of groundwater. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal of withdrawal of groundwater. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal grantly.
Indicate point of and place of the Each small squares. 7. The date of drawal of grawal of grawa	of appropriation are, if possible. 6. The means of withdrawing such water from the ground and the location of each well or other means of rithdrawal for the second state of the second s
Indicate point of and place of the Each small squares. 7. The date of drawal of grawal of grawa	of appropriation use, if possible to the means of withdrawing such water from the ground and the location of each well or other means of withdrawal for the location of each well or other means of withdrawal for withdrawal for withdrawal for withdrawal for withdrawal for withdrawal of water table. If the type, size and depth of each well or the general specifications of any other he withdrawal of groundwater withdrawal each year formations encountered in the drilling of each well if available formations encountered in the drilling of each well if available information of a similar nature as may be useful in carrying out the policy of this act, including the book and page of any county record.
Indicate point of and place of the Each small squares. 7. The date of drawal of grawal of grawa	of appropriation ase, if possible. 6. The means of withdrawing such water from the ground and the location of each well or other means of yithdrawal grantly. 134 Range 35 11 5 12 12 12 12 12 12 12 12 12 12 12 12 12
Indicate point of and place of the Each small squares. 7. The date of drawal of grawal of grawa	on the proportiation ise, if possible to the represents 10 and the location of each well or other means of withdrawal Grand of the commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater. ISI. I may be available, the type, size and depth of each well or the general specifications of any other he withdrawal of groundwater. ISO feet of the south of the withdrawal of groundwater withdrawn each year. 500,000 gallans. I to feet distribution, 3 feet grand. Information of a similar nature as may be useful in carrying out the policy of this act, including the object of the county record. Signature of Owner. Shemman & Lacard. Date. 12,13,1963.
Indicate point of and place of the Each small squares. 7. The date of drawal of grawal of grawa	of appropriation ase, if possible. 6. The means of withdrawing such water from the ground and the location of each well or other means of yithdrawal grantly. 134 Range 35 11 5 12 12 12 12 12 12 12 12 12 12 12 12 12

18104

STATE OF MONTANA, as.

Filed for record

DEC 23.1963

at 10.00 Sclock A.M.

MARY LOU FILE Clerk & Recorder

Valley Conny

Pulling publication apply

File No. DUPLICATE STATE OF MONTANA ADMINISTRATOR OF GROUNDWATER CODE OFFICE OF STATE ENGINEER JAN 17 1964 Notice of Completion of Groundwater Appropriation Wilhout Well Gills ... (Under Chapter 237 Montana Session Laws, 1961) Date of Appropriation of Groundwater Address.... Contractor (if any) Address of Contractor . Date Completed... Describe means of obtaining groundwater without a well "as by sub-irrigation and other natural processes". Include depth to Quantity of water developed and used with explanation of method used to measure or estimate such amount. If use is intermit-

Indicate point of appropriation and place of use, if possible,

tent estimate approximate lengths of periods of use

Signature of Owner

This form to be prepared by contractor (if any), otherwise by the owner.

Three copies of this notice are to be filed with the County Clerk and Recorder of the county in which the works are located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the School of Mines and Quadruplicate for the Appropriator.

STATE OF MONTANA, } en. Comy of Valoy, } en. Viggin record

DEC 30 1963

side in Pr

MARY LOU FIDE Clerk & Recorder Valley County

GROUNDWATER INDEX

County Valley Twp. 34N Rge. 36E

Sec.	Name of Appropriator	Type of Form	County File No.	Remarks
4	Luras, Harold	GW-2	1138322	
		gilad Lengthian L		
			i e meja	The second secon
	No. of the second secon			and the second s
		10 mars 10 mar		
			465551	
			<u></u>	
		Section 1		
		Je sa je ja	The second secon	
		The second second		
		N V 1 1 2 1 A V 1		
		1	# \$5 5 July 4.	
		Tariff Texts		
		\$40, Jan. 18 1		And the second s
		44.		
				The state of the s
				201.
			And the second of the second o	
		 	 	
· · ·		 		
	The state of the s		 	
		}	1	
	 A control of the property of the control of the contr	<u> </u>	 	
			ļ	

3W 2			Approved		and the second	34 /V R	36	1
File No						,	/alley	
DUPLIO	ATE		ADMINIST OF	RATOR O	F MONTA	NA DE OWATER O	CEI /	1 11 1
	Top of Ground	The second secon	lotice of (-	_	
	(Elev. above sea level	Marie Salahan I	Approp	comple riation	by Me	ans of	Well	INCER
			(Under Cha	pter 237, M	Iontana Se	ssion Laws,	1961)	
-	The state of the s	edigari Jugastan Jangara Labahara				HInsd		ntana
- 1			AROLD LURA					
		Driller.F	IAROLD LURA	MS	Address.	Decemb	or 13	1963
		Date of	Notice of Appro	priation of	Groundwate 1963	erDecem		1062
		Date we	ll startedNOV	mber15	Date Co	mpletedDe	cLu,	
-		Type of (dug, d drilled	well Dug and	driver	Equipm (Churn, other)	ent Useddrill, rotary	iand du	B
		Foreign Carlo	Jse: Domestic Industrial		nicipal [Other Stock 1		gation [
A Section of the Sect		strata r	dicate on the d net with in drill epth at which w	ung, such a zater is ence	ountered, tl		character	
		Degrink	strata and here	,				
-					То			<u> </u>
-		Size of Drilled Role	Size and Helg	From (Feet)		PE	RFORATION:	To
	15' hand	Size of Drilled Hole	Size and Weight of Casing	From (Feet)	To (Feel)	Kind Size	RFORATION	
	15' hand 3' x	Size of Drilled Hole	Size and Weight of	From (Feet)	То	Kind Size Clay & Gumbo	From (Feet)	(Feet)
	15' hand 3½' x	Size of Drilled Hole	Size and Weight of Casing	From (Feet)	To (Feel)	Kind Size Clay &	From (Feet)	To (Feet)
	15' hand 3' x	Size of Drilled Hole	Size and Weight of Casing	From (Feet)	To (Feel)	Kind Size Clay & Gumbo	From (Feet)	(Feet)
0 0 0 77	15' hand 3½' x	Size of Drilled Hele	Size and Weight of Casing	From (Feet)	To (Feet)	Kind Size Clay & Gumbo sand	Prosi (Feet)	12' 23'
70 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	15' hand 3' x	Size of Drilled Hele	Size and Weight of Casing 12,1 pi	From (Feet)	23*	Kind Size Clay & Gumbo sand	From (Feet) 0 12	12 ¹ 23 ¹
5 S S S S S S S S S S S S S S S S S S S	34' *	Size of Drilled Hele dug 3½!	Size and Weight of Casing 121 p:	From (Feet)	23°	Kind Size Clay & Cumbo sand	Prom (Feet) 0 12	12 t 23 t
	34' *	Size of Drilled Hole dug 3½ S	Steemd Weight of Casing 121 pt tatic Water Lev hut-in Pressure	Prom (Feet) Lpe 0 el for non-f for Flowin	23° towing Well	Kind Size Clay & Cumbo sand	Prom (Feet) 0 12	12. 23. fe
	34' *	Size of Drilled Bole 3 2 2	Size and Weight of Casing 121 p. tatic Water Lev chut-in Pressure Cumping Water Discharge in gal	el for non-f for Flowin Level	23 to Green	Kind Size Clay & Gumbo sand 23	From (Feet) 0 12*	12 23 fee
	34' *	Size of Drilled Bole 3 2 2	Size and Weight of Casing 121 p. tatic Water Lev chut-in Pressure Cumping Water Discharge in gal	el for non-f for Flowin Level	23 to Green	Kind Size Clay & Gumbo sand 23	From (Feet) 0 12*	12 23 fee
	34' *	Size of Drilled Bele dug 3½!	Steemed Weight of Casing 121 p. tatic Water Level Control of the Casing Property of the C	el for non-f for Flowin Level 2:	23° lowing Well of flowing v	Clay & Cumbo sand 23 eet at	Promations (Feet) 0 12 12 12 12 12 12 12 12 12 12 12 12 12	12' 23' fe
	34' *	Size of Drilled Bele dug 3½!	Size and Weight of Casing 121 p. tatic Water Lev hut-in Pressure rumping Water Discharge in gal How Testeramp	el for non-f for Flowin Level 2.	23* lowing Well g Well Len , cementing	Clay & Gumbo sand 23 eet at 5 well	From (Feet) 0 12 12 type of sh not at we	12° 23° fe
	34' *	Size of Drilled Bele dug 3½!	Size and Weight of Casing 121 p. tatic Water Lev chut-in Pressure cumping Water Discharge in gal How Test Champ Remarks: (Gration other	el for non-f for Flowin Level	23* lowing Well g Well f flowing v cementing use of groentinent in	Clay & Gumbo sand 23 eet at 5. well gih of Test g, packers, undwater if formation,	gal. 30 mi	12° 23° fe
	34' *	Size of Drilled Bele dug 3½!	Size and Weight of Casing 121 p. tatic Water Lev chut-in Pressure cumping Water Discharge in gal How Test Champ Remarks: (Gration other	el for non-f for Flowin Level	23* lowing Well g Well f flowing v cementing use of groentinent in	Clay & Gumbo sand 23 eet at 5 well	gal. 30 mi	12° 23° fee
	NULL/SR Sec. 4. T.	Size of Drilled Brilled Bole 31/2 SS	Size and Weight of Casing 121 p. tatic Water Lev chut-in Pressure cumping Water Discharge in gal How Test Champ Remarks: (Gration other	el for non-f for Flowin Level	23* lowing Well g Well f flowing v cementing use of groentinent in	Clay & Gumbo sand 23 eet at 5. well gih of Test g, packers, undwater if formation,	gal. 30 mi	12° 23° fee
	NM. 1/4 SE Sec. 4. T. Indicate location of place of use, if poss	Size of Drilled Hole dug 3½ S	Size and Weight of Casing 121 p. tatic Water Lev chut-in Pressure cumping Water Discharge in gal How Test Champ Remarks: (Gration other	el for non-f for Flowin Level	23* lowing Well g Well f flowing v cementing use of groentinent in	Clay & Gumbo sand 23 eet at 5. well gih of Test g, packers, undwater if formation,	gal. 30 mi	12° 23° fee
	NULL/SR Sec. 4. T.	Size of Drilled Hole dug 3½ S	Size and Weight of Casing 121 p. tatic Water Lev chut-in Pressure cumping Water Discharge in gal How Test Champ Remarks: (Gration other	el for non-f for Flowin Level	23* lowing Well g Well f flowing v cementing use of groentinent in	Clay & Gumbo sand 23 eet at 5. well gih of Test g, packers, undwater if formation,	gal. 30 mi	12° 23° fee
	NW. 1/4 SE Sec. 4. T. Indicate location of place of use, if poss small square represent	Size of Drilled Hole dug 3½ S	Size and Weight of Casing 121 p. tatic Water Lev chut-in Pressure cumping Water Discharge in gal How Test Champ Remarks: (Gration other	el for non-f for Flowin Level	23* lowing Well g Well Len , cementin use of gro ertinent ir	Clay & Gumbo sand 23 eet at 5. well gth of Test g, packers, undwater if formation, irrigation)	gal. 30 mi	12. 23. fee
	NM. 1/4 SE Sec. 4. T. Indicate location of place of use, if poss	Size of Drilled Hole dug 3½ S	Size and Weight of Casing 121 p. tatic Water Lev chut-in Pressure cumping Water Discharge in gal How Test Champ Remarks: (Gration other	el for non-f for Flowin Level	23* lowing Well g Well Len , cementin use of gro ertinent ir	Clay & Gumbo sand 23 eet at 5. well gih of Test g, packers, undwater if formation,	gal. 30 mi	12. 23. fee
	NW. 1/4 SE Sec. 4. T. Indicate location of place of use, if poss small square represent	Size of Drilled Hole dug 3½ S	Size and Weight of Casing 121 p. tatic Water Lev chut-in Pressure cumping Water Discharge in gal How Test Champ Remarks: (Gration other	el for non-f for Flowin Level	23* lowing Well g Well Len , cementin use of gro ertinent ir	Clay & Gumbo sand 23 eet at 5. well gth of Test g, packers, undwater if formation, irrigation)	gal. 30 mi	12. 23. fee

This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology and Quadruplicate for the Appropriator.

DYATE OF MONTANA,

DEC 16 1963

geriptethi çi keye ini e

Sec.	Appros	oriator		Form	rounty Fite #
19	Hinsdale	with the contract of the second con-		6 N 3 2 H	439147
21	11	"/	11	6W2	19400
21	71	77	11	6W2	19401
21	. 11	1)	",	6 W 3 3 4	439144
	a y myseller i figur y der 180 - y killer i propriet på filler fyrt i kalter e			5 5 5 5	

		Approved Stock Form—State Publishing Co., Helena, Montana—42234
le No		1 3 7
PLICATE		T # # 7 County Valley
		STATE OF MONTANA D
	2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	VISTRATOR OF GROUNDWATER CODE
	The second secon	
	Declaration	of Vested Groundwater Rights!
A Company of the control of the cont	(Under (Chapter 237, Montana Session Laws, 1961)
Hinsdale L	ivestock Compan	y of Box 429, Glasgow f) (Address) (Town)
County of	Valley	State of fontana. Cling to the Montana laws in effect prior to January 1, 1962, as follows:
have appropriate	i groundwater accor	ding to the Montana laws in effect prior to January 1, 1902, as follows:
	•	2. The beneficial use on which the claim is basedstochwater
		well and spring
	APT 0	3. Date or approximate date of earliest beneficial use; and how continu-
tuell 9	(ous the use has been 1955 used continuously such
X	È	winter for about five months
		4. The amount of groundwater claimed (in miner's inches or gallons
		per minute) 10 gallons per minute
		No. All Control of the Control of th
		5. If used for irrigation, give the acreage and description of the land
	s	to which water has been applied and name of the owner thereof
14 NW Sec. 19	т.# к.37	
dicate point of d place of use, if	appropriation	
all square repres	ents 10 acres.	 The means of withdrawing such water from the ground and the loca- tion of each well or other means of withdrawal electric pump.
		bon of each wen of denot means of withdrawar.
. The date of o	commencement and co	ompletion of the construction of the well, wells, or other works for with
drawal of grou	ındwater	5 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
Who donth of m	reton table	
. So far as it m	say be available, the	type, size and depth of each well or the general specifications of any other water 6 in casing 60 ft deep
WOLES TOT MIC V	A Brown	1 No. 1 (1977) 1 (197
	The second secon	
. The estimated	amount of groundwa	iter withdrawn each year 225,000
The log of for	heratrimona emitam	in the drilling of each well if available
. The log of for		
And the last of th		
reference to bo	ormarion of a simua ok and page of any	r nature as may be useful in carrying out the policy of this act, includin
****************************		Hinsdale Livestock Company
		Signature of Owner By Man State
		President. Date Dec. 31, 1963
		And the state of t
hree copies to be i	iled by the owner wit	th the County Clerk and Recorder of the county in which the well is located
lease answer all o	questions. If not app	licable, so state, otherwise the form will be returned.
-	·	
riginal to the Col lines and Geology,	unty Clerk and Recor and Quadruplicate fo	rder; Duplicate to the State Engineer: Triplicate to the Montana Bureau or the Appropriator. 3698

Designation

39147 18₅60

DEC 8 F 1963

MARY ECU TO Cloub Tracorder

File No. STATE V	IATER CONSERVATION B	OARD Approve	ed Stock Form-State		Helena, Montana—393	
DUPLICATE	LIAN JR INGS				Valley	
Bills 8.	M*Dermett M*Hoty =		STATE OF STATOR OF G	ROUNDW	ATER CODE	
Top of Ground	level)	Notice of	·			er
-16 sanly clay		Approp	riation by	Mean	s of Well	-
Job France	24.	Isdel Luca	apter 237, Mon	tana Sessio	n Laws, 1961)	
at clay		Gene CT				
	Driller	Walter 3	fine A	ddress	/laszon	
	area or a second of the control of t	Notice of Appro	Thought a second a			
	the second secon	ell started July	1.446 医中央电影	in the second		
56 sondwater	Type o dug, drille	f well will driven, bored or ed)		iquipment 1 (Churn, drill other)		drill.
56 sandwater 58 care rand a light gravel	√. Water	Use: Domestic Industrial			other 🗌 Ir	rigation [
	strata : Show d	dicate on the d met with in drill lepth at which w strata and heig	ing, such as soil ater is encounte	, clay, shale red, thickne	e, gravel, rock o ess and characte	r sand, etc
	Size of Drilled Hole	Size and Weight of Casing		Fo eet)	PERFORATIO!	15
	Sin	13/1/palt		S	(Feet)	(Feet)
	N Si	atic Water Level	for non-flowing	Well		feet
		ut-in Pressure i				
		umping Water Le				
- N	D E	ischarge in gal. 1	: 1		_ #	
		ow Tested	ily.		Test 3 hv	
	R		packing, ceme place of use of similar pertinen	groundwat	er if not at we	il, and any
		acres ir	rigated, if used	for irrigation	on)	
- L. M. Sec.				A Company of the Comp		
place of use,	if possible. Each					The second secon
small square re	presents 10 acres.		What come she consider the second			
Show exact depth	of bottom.	:			14	
				, , ,	ense Number	
			Î	<i>Walle</i> Oriller's Sig	nature Suse	

This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology and Quadruplicate for the Appropriator.

John Towait M. S. office and market

TO SEE TO RECEPTION OF FEMALES. Parally and market and the same

TO THE COURT OF THE STATE OF TH

All grown in the Table

feral app occurs navit) high of the spirit

TATE OF MONTANA, Sea.
County of Vulkey.
Filed for record

JAN 1 7 1966

County

em ber dem in mich deskriften

to the desiration.

医过滤压剂 网络多次低水石铁煤 Sussibility 22 Leading

e No	Blo	. McDermott	County	la Steer
PLICAT		M Nulty		anag
	LOGD:	MurionADMINI	STATE OF MONTANA STRATOR OF GROUNDWATER	CODE
	Dickert		FFICE OF STATE ENGINEER	
	Top of Ground	Notice of	Completion of Grou	ndwater
_ (Elev. above sea level	Appro	priation by Means of	Well
10 /3	t sandy clay	DEV	ELOPED AFTER JANUARY 1, 1	962
18 /C	A	(Under C	Chapter 237, Montana Session Laws	s, 1961)
24	considerate	21-11	1 tho	
	and de clare	Owner Justin	The state of the s	
33a=	some for a	Driller Walter	Line Address Life	<u> </u>
36	verse sand.	Date of Notice of app	propriation of groundwater	
- I			Date completed	1.0/65
_		garangan ay daga ay an	Ro 1	
_		Type of well (Dug, Driven, bored of		or other)
		Water use: Dom	estic Municipal Stock	🗶 Irrigation 🗌
[Indus	trial Drainage Other	of the different stre
_ }		Indicate on the d	iagram the character and thickness such as soil, clay, shale, gravel, ro	k or sand, etc. She
_		depth at which water	such as soil, clay, sinite, graver, ro- is encountered, thickness and char- which the water rises in the well.	TOTAL OF MATEL-DESEL
_ [erforations
-		Size of Size a Drilled Weig Hole of Cas	ht. (Feet) (Feet) Kind	From To
_		147/g	Size	(Feet) (Feet)
_		621		
		Fall		
<u> - </u>				.
_				
- 1				f flowing n
-		N	Static Water Level	A Saturn fo
- 1			Shut-in Pressure for I	
-			Pumping Water Lev	elu./t/e.ven.Kantio
- 1			E at ga	l. per minute.
-		W X	Discharge in gal. per	min. of flowing
-				011
			How Tested	DOLALG
7.		\$ s	Length of Test. A. Remarks: (Gravel pa	eking comenting n
-		ald o	Remarks: (Gravei page 24 _2 7 ers, type of shutoff).	
-		1/4 Sec. T Indicate location of	2/ R2./	••••••
-		place of use, if Dos	sible. Each	
- - - - - - - - - - - - -	าร์ การ์ การ์ การ์ การ์ การ์ การ์ การ์ ก	small square repares.	presents 40	
-	The part of the pa	The second of th		
-	A STATE OF THE STA			ontinue on reverse
	A second	USE—If used for	irrigation, industrial, drainage of cres and location or other data (i.e.	Lot, Block and
		tion).		
				The state of the s
	Show exact depth of	DOVIOM.		
			44	
This for	m to be prepared by driller	, and three copies to be filed by the county in which the well is located, tis	owner with the Driller's Licens	se Number
Commercia				

.05

THE WATER hand to the disert above sen house 15 to 北京 会社 海流 TATE OF MONTANA, ss. County of Valley.

Filed for record

JAN 17 1966

1 10 00 o'clock A:

Mary Son Sudden Seconds STANGERING OF BENEGISSING STANGES the principle of the principle of the salked of Andropal think by i rakanak ingga degalakera COLUMN OF WILLIAM EXPERSE STATE OF ROBER क्षित्रकार है है है। इस क्षित्रकार 是此是事的"自然是"的"一个"。 SHE SUBSECTION OF SHEET Total and the

A STATE OF THE STA	Approved Stock Form—State Publishing Co., Helena, Montana—42234 2234
File No.	T # (T T
DUPLICATE	County Valley
And the second s	STATE OF MONTANA
The control of the co	ADMINISTRATOR OF GROUNDWATER CODE OFFICE OF STATE ENGINEER
	IAN 18 1964
	eclaration of Vested Groundwater Kignts
The second secon	(Under Chapter 237, Montana Session Laws, 1961) SIMIC LIVERS
	Roy 120 Glascow Montana
1. Hinsdale Liv (Name	estock Company, of Box 429, Glasgow, Ibritana of Appropriator) (Address) (Town)
10 11	
have appropriated gr	Control of the contro
	2. The beneficial use on which the claim is based nanch home
	A directing and stock which were passed in
	3. Date or approximate date of carliest beneficial use; and how continued to the state of the state of carliest beneficial use; and how continued to the state of
	ous the use has been directing continous line dwelling well aince 1955 apains continous line dwelling well also waters stock and is well furthest nor
w	
	4. The amount of groundwater claimed (in miner's inches or gallo
	per minute) 10 gallons ges minute dwelling well 10 stockwater
garage	3 gal per minute from springs
	to which water has been applied and name of the owner there
ES NIF	
Indicate point of app	
and place of use, if poss small square represents	sible. Each 6. The means of withdrawing such water from the ground and the lo
	tion of each well or other means of withdrawal efectaic pump
	mencement and completion of the construction of the well, wells, or other works for wi
	mencement and completion of the construction of the well, wells, or other works for www
7. The date of comdrawal of ground	water Sefore 1744 dweening and sence 1757 Education
7. The date of comdrawal of ground	r table
7. The date of comdrawal of ground 8. The depth of water	r table
7. The date of comdrawal of ground 8. The depth of water	r table
7. The date of comdrawal of ground 8. The depth of water	r table
7. The date of comdrawal of ground. 8. The depth of water 9. So far as it may works for the with	r table
7. The date of comdrawal of ground. 8. The depth of water 9. So far as it may works for the with	r table
7. The date of comdrawal of ground 8. The depth of water 9. So far as it may works for the with	r table
7. The date of comdrawal of ground 8. The depth of water 9. So far as it may works for the with	r table
7. The date of comdrawal of ground 8. The depth of water 9. So far as it may works for the with	r table
7. The date of comdrawal of ground 8. The depth of water 9. So far as it may works for the with 10. The estimated am 11. The log of format	r table
7. The date of comdrawal of ground 8. The depth of water 9. So far as it may works for the with 10. The estimated am 11. The log of format	r table
7. The date of comdrawal of ground 8. The depth of water 9. So far as it may works for the with 10. The estimated am 11. The log of format	r table
7. The date of comdrawal of ground 8. The depth of water 9. So far as it may works for the with 10. The estimated am 11. The log of format	re table
7. The date of comdrawal of ground 8. The depth of water 9. So far as it may works for the with 10. The estimated am 11. The log of format	r table
7. The date of comdrawal of ground 8. The depth of water 9. So far as it may works for the with 10. The estimated am 11. The log of format 12. Such other information reference to book	be available, the type, size and depth of each well or the general specifications of any of drawal of groundwater. Stockwater 60 ft. Stockwater 100,000 gall stockwater 250,000 methods encountered in the drilling of each well if available. mation of a similar nature as may be useful in carrying out the policy of this act, incluand page of any county record. Hinsdale Livestock (ompany Signature of Owner by: Livestock (owner by: L

Original to the County Clerk and Recorder; Duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology, and Quadruplicate for the Appropriator.

Institute of the property of t

OEC 3 : 1963

MARY COURT & Carlo Recordor

Valles Carlo Carlo

GROUNDWATER INDEX

County Valley

Twp. 341 Rge. 39E

Sec.	Name of Appropriator	Type of Form	County File No.	Remarks
	Lindahl, Alin Marion	GWH	H38618	
16	underly hinn parion		1 1 1 1 1 1 1 1	
 -				
				The second of th
			A STATE OF THE STA	A STATE OF THE PROPERTY OF THE
<u> </u>				
				The second of th
<u> </u>				the second of th
				
 				
 				The state of the second
-		je Alkerski s	2.1.1.1	
-				
-				
		The second secon		
-				
	THE STATE OF THE S			
		A STATE OF S		
		<u> </u>		
	and the control of th			
T				

ϕ	Approved Stock Form—State Publishing Co., Helena, Montana—41921. et 3
	m 4 Line 3 C
File No.	County
ADMINIST OFF:	STATE OF MONTANA PRATOR OF GROUNDWATER CODE DEC 30 1963
Polovetian a	f Vested Groundwater Rights ENGINEER
(Under Cha)	pter 237, Montana Session Laws, 1961)
The second of th	
1 Alien Marion Le (Name of Appropriator)	udall or Route Ophrein (Address) (Town)
(Name of Appropriator)	Witnest and
have appropriated groundwater according	g to the Montana laws in effect prior to January 1, 1965, as 19-
	2. The beneficial use on which the claim is based Water for 300 cures of family
	3. Date or approximate date of earliest beneficial use; and how continuous the use has been, 2 to 3 months a specific years, years been, an use for about 36 years.
W S	4. The amount of groundwater claimed (in miner's inches or gallons per minute). I fallon per minute.
X = 1	5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof
525 E 14 26 Sec 34 T. 39 R	
Indicate point of appropriation and place of use, if possible. Each small square represents 10 acres.	6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal. Thus a spreng that runs out of ground from the floor than the floor purp of needle.
7. The date of commencement and com drawal of groundwater fulf	First person puris it needed. First person puris it needed, and other works for with- inpletion of the construction of the well, wells, or other works for with- ing person steel curt with
cum 11 le	T.
9. So far as it may be available, the two works for the withdrawal of groundway.	ype, size and depth of each well or the general specifications of any other ater. Bound curf with 15 diametry
	Trongo llour
-10. The estimated amount of groundwate	er withdrawn each year 7000 gallons.
11. The log of formations eneguntered in granely clay 1.	the drilling of each well if available Black Coam 2 fee
12 Such other information of a similar reference to book and page of any or pure for the first formation of a similar reference to the first formation of a similar reference to book and page of any or the first formation of a similar reference to book and page of any or the first formation of a similar reference to book and page of any or the first formation of a similar reference to book and page of any or the first formation of a similar reference to book and page of any or the first formation of a similar reference to book and page of any or the first formation of a similar reference to book and page of any or the first formation of a similar reference to book and page of any or the first formation of a similar reference to book and page of any or the first formation of a similar reference to book and page of any or the first formation of a similar reference to book and page of any or the first formation of a similar reference to the first formation of a similar reference to book and the first formation of a similar reference to the similar reference to the similar r	nature as may be useful in carrying out the policy of this act, including ounty record Third is a flow from the policy of this act, including ounty record Third is a flow from the policy of this act, including out the policy of the
	Signature of Owner A. M. Lindski. Date DEC 23 1963
. و و در	h the County Clerk and Recorder of the county in which the well is located.
Please answer all questions. If not appl	icable, so state, otherwise the form will be returned.
Original to the County Clerk and Recor Mines and Geology, and Quadruplicate fo	der: Duplicate to the State Engineer; Triplicate to the Montana Bureau of r the Appropriator.

STATE OF MONTANA, } ss.
County of Valley.
Filed for rescord

DEC 23 1963

MARY LOU ELLE Cle Ka Hecorder
Valley County

	보기 (*) 		
Sec	A-ppropriator	Form	county Fix #
0		된다. 그런 얼마 :	
2	Miller, theodored.		
	and Collean	GWYH	439129
5	Edwards, Wayne A.		438616
5	Miller, Hazel	" " "	N39187
7	Edwards, Wayne A.	" 4	438617
11	Honrud, 2.0.	" 4	138850
16	Asleson, Geo. A & Elm		439011
		" 4	N39079
	Kauth, Gilbert	" 4	North Call Million
19	Lindahl, Alvin M.		438619
19		Well 109	H24 885
20	Fauth, Gilbert	GWAH	H39 075
<i>3</i> 3 /	Reimcha clarence Ri		
	nd Sina M.	6NX4	438158
	Word, houra Etta	11.4	438 438
211	and land and the said	642	470060
221	11 11 11	GWXH	19306
35	11 11 11	"3	19307
		11.4	
35	Ward, Lours Etta		H38H39

100 Marks

	T 34 // R-40/
No.	County Valley
LICATE	STATE OF MONTANA
	ADMINISTRATOR OF GROUNDWATER CODE OFFICE OF STATE ENGINEER JAN 16 1964
	OFFICE OF STATE ENGINEER JAN 16 1964
	Declaration of Vested Groundwater Rights (E. E. M.) 1987 (Under Chapter 237, Montana Session Laws, 1961)
Theodoro	Miller, husband and wife as joint tenants of Miller and Colleen, of Box 102 Opheim (Madwersinderpriator) (Address) (Town)
ghts of su	State of Montaha January 1 1962 as follows:
ave appropria	State of Montana State of Montana Laws in effect prior to January 1, 1962, as follows:
	N 2. The beneficial use on which the claim is based
	z The Deficient use of white
	3. Date or approximate date of earliest beneficial use; and how continuous the use has been 1927; 8 months out of every
	year since 1927.
	4. The amount of groundwater claimed (in miner's inches or gallon
	per minute; c 1 gal. per minute; b 1 gal. per minute; c 1 gal. per minute.
	permanulation of the land
	5. If used for irrigation, give the acreage and description of the land to which water has been applied and name of the owner thereo
	s not used for irrigation.
Sec. 5	2 T. 34 R40
dicate noint	and the second of the second o
d place of use, all square re	or appropriation, if possible. Each for the means of withdrawing such water from the ground and the loc presents 10 acres. 6. The means of withdrawing such water from the ground and the loc presents 10 acres. tion of each well or other means of withdrawal. a
	to a contract the contract to
	- type-pump-
	and a subject of the
	and completion of the construction of the well, wells, or other works lot
. The date	of commencement and completion of the construction of the well, wells, or other works with groundwater a used as were until 1954 when 7 'excevation was groundwater a used as were until 1954 when 7 'excevation was made.
drawal of	groundwater a
drawal of	groundwater a 1954 when 7 ! excavation was made. C commented and completed 1940. and completed 1940. and completed page flowing; b surface flowing; c dept
drawal of in 1927 8. The depth	groundwater a
drawal of in 1927 The depth water t so years for t	groundwater a
drawal of in 1927 The depth water t So far as	groundwater a. — 1984 when 7 ! excavation was made. C. — common and completed 1940. and completed 1940. of water table a. — surface flowing; b. — surface flowing; c. — deployed to the surface flowing; c. — deployed to the surface; b. — surface; b. — the withdrawal of groundwater a. — 40! x40! x7! excavation at surface; b. — the withdrawal of groundwater a. — 40! x40! x7! excavation at surface; c. — coment curbing 20! deep 2 foot 1
drawal of in 1927 The depth water t So far as	groundwater a. a light when 7 ! excavation was made. C comments and completed 1940. and completed 1940. of water table a surface flowing; b surface flowing; c deployed the surface flowing; c deployed the surface flowing; c deployed to the general specifications of any office it may be available, the type, size and depth of each well or the general specifications of any office withdrawal of groundwater a 40'x40'x7' excavation at surface; b. The cavation at surface; c coment curbing 20' deep 2 foot 1 with 2 aylinder leather type pump
drawal of the transfer of transfer of the transfer of transfer	groundwater a. a light when 7 ! excavation was made. C commented as was until 1954 when 7 ! excavation was made. C commented as was until 1940. and completed 1940. of water table a surface flowing; b surface flowing; c deployed to the general specifications of any other it may be available, the type, size and depth of each well or the general specifications of any other withdrawal of groundwater a 40'x40'x7' excavation at surface; b. the withdrawal of groundwater a 40'x40'x7' excavation at surface; b cement curbing 20' deep 2 foot 1 groundwater as ylinder leather type pump
drawal of the land	groundwater a. — used as groundwater a. — towner and completed 1940. and completed 1940. of water table a. — surface flowing; b. — surface flowing; c. — deplicable 20' with 2' water depth. it may be available, the type, size and depth of each well or the general specifications of any other in the withdrawal of groundwater a. — 40'x40'x7' excavation at surface; b. k7! ecavation at surface; c. — cement curbing 20' deep 21foot 1 k7! scavation at surface; c. — cement curbing 20' deep 21foot 1 ered amount of groundwater withdrawn each year a. — 288,000 gel. est. used.
drawal of the transfer of the depth of water to So far as works for to 40%401, d1emete	groundwater a. — used as groundwater a. — towner and completed 1940. and completed 1940. of water table a. — surface flowing; b. — surface flowing; c. — deplicable 20' with 2' water depth. it may be available, the type, size and depth of each well or the general specifications of any other in the withdrawal of groundwater a. — 40'x40'x7' excavation at surface; b. k7! ecavation at surface; c. — cement curbing 20' deep 21foot 1 k7! scavation at surface; c. — cement curbing 20' deep 21foot 1 ered amount of groundwater withdrawn each year a. — 288,000 gel. est. used.
drawal of tin 1927 The depth of water t So far as works for t 40X401 d1emete	groundwater a. — used as groundwater a. — toward and completed 1940. and completed 1940. of water table a. — surface flowing; b. — surface flowing; c. — deployed the surface; b. the withdrawal of groundwater a. — 40'x40'x7' excavation at surface; b. the withdrawal of groundwater a. — 40'x40'x7' excavation at surface; b. the withdrawal of groundwater as — cement curbing 20' deep 2 foot in the withdrawal each year as — 288,000 gal. est. used. ated amount of groundwater withdrawal each year as — 288,000 gal. est. used. Selection of groundwater withdrawal each year as — 288,000 gal. est. used. Selection of groundwater withdrawal each year as — 288,000 gal. est. used. Selection of groundwater withdrawal each year as — 288,000 gal. est. used. Selection of groundwater withdrawal each year as — 288,000 gal. est. used.
drawal of tin 1927 The depth of water to So far as works for to 40X401, d1emete	groundwater a used as wes until 1954 when 7 ! excavation was made. C commented as wes until 1954 when 7 ! excavation was made. C commented as made as unface flowing; b surface flowing; c deployed the surface flowing; c deployed as a surface flowing; c deployed the without as a surface; b the withdrawal of groundwater a 40'x40'x7' excavation at surface; b the withdrawal of groundwater as cement curbing 20' deep 22foot 10'x7' excavation at surface; c cement curbing 20' deep 22foot 10'x7' excavation at surface; c cement curbing 20' deep 22foot 10'x7' excavation at surface; c cement curbing 20' deep 22foot 10'x7' excavation at surface; c cement curbing 20' deep 22foot 10'x7' excavation at surface; c cement curbing 20' deep 22foot 10'x7' excavation at surface; c cement curbing 20' deep 22foot 10'x7' excavation at surface; b cement curbing 20' deep 22foot 10'x7' excavation at surface; b cement curbing 20' deep 22foot 10'x7' excavation at surface; b cement curbing 20' deep 22foot 10'x7' excavation at surface; b cement curbing 20' deep 22foot 10'x7' excavation at surface; b cement curbing 20' deep 22foot 10'x7' excavation at surface; b cement curbing 20' deep 22foot 10'x7' excavation at surface; b cement curbing 20' deep 22foot 10'x7' excavation at surface; b cement curbing 20' deep 22foot 10'x7' excavation at surface; b cement curbing 20' deep 22foot 10'x7' excavation at surface; b cement curbing 20' deep 22foot 10'x7' excavation at surface; b cement curbing 20' deep 22foot 10'x7' excavation at surface; b cement curbing 20' deep 22foot 10'x7' excavation at surface; b cement curbing 20' deep 22foot 10'x7' excavation at surface; b cement curbing 20' deep 22foot 10'x7' excavation at surface; b cement curbing 20' deep 22foot 10'x7' excavation at surface; b cement curbing 20' deep 22foot 10'x7' excavation at surface; b cement curbing 20' deep 22foot 10'x7'
drawal of the transfer of transfer of the transfer of transfer	groundwater a. — 1954 when 7 ! excavation was made. C. — commented as was until 1954 when 7 ! excavation was made. C. — commented and completed 1940. and completed 1940. of water table a. — surface flowing; b. — surface flowing; c. — deployed to the series of the surface of the surface of the surface of the withdrawal of groundwater a. — 40!x40!x7! excavation at surface; b. the withdrawal of groundwater a. — 40!x40!x7! excavation at surface; c. — coment curbing 20! deep 22foot 1 gr. with 22 sylinder leather type pump. ated amount of groundwater withdrawn each year. a. — 288,000 gal. est. used. 88,000 gal. C. — 144,000 gal. formations encountered in the drilling of each well if available not available.
drawal of b. 11 1927 in 1927 The depth of water t So far as works for t 40%4013 d1emete 10. The estimate b 2 11. The log of	groundwater a
drawal of b. tin 1927 8. The depth of the d	sed as was until 1954 when 7 ! excavation was made. Ca - commented as was until 1954 when 7 ! excavation was made. Ca - commented as - surface flowing; b surface flowing; c deployed as the surface flowing; b surface flowing; c deployed with 2! water depth. It may be available, the type size and depth of each well or the general specifications of any of the withdrawal of groundwater a 40!x40!x7! excavation at surface; b. the withdrawal of groundwater a 40!x40!x7! excavation at surface; c comment curbing 20! deep 2 foot in the carry and the surface; c comment curbing 20! deep 2 foot in
drawal of b. — ti n 1927 8. The depth water t 9. So far as works for t 40×401, d1emete 10. The estimate b. — 21 11. The log of	it may be available. It may be available as open and open as a surface; a 40 x 40 x 7' excavation at surface; a cement curbing 20' deep 2 foot 1: 27' excavation at surface; a cement curbing 20' deep 2 foot 1: 27' excavation at surface; a cement curbing 20' deep 2 foot 1: 27' excavation at surface; a cement curbing 20' deep 2 foot 1: 28' extantion at surface; a cement curbing 20' deep 2 foot 1: 28' excavation at surface; a cement curbing 20' deep 2 foot 2
drawal of b. tin 1927 8. The depth of the d	sed as was until 1954 when 7 ! excavation was made. Ca - commented as was until 1954 when 7 ! excavation was made. Ca - commented as - surface flowing; b surface flowing; c deployed as the surface flowing; b surface flowing; c deployed with 2! water depth. It may be available, the type size and depth of each well or the general specifications of any of the withdrawal of groundwater a 40!x40!x7! excavation at surface; b. the withdrawal of groundwater a 40!x40!x7! excavation at surface; c comment curbing 20! deep 2 foot in the carry and the surface; c comment curbing 20! deep 2 foot in

Three copies to be filed by the owner with the County Clerk and Recor or of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

439189 18601

STATE OF MOLESANA
County of Veryor County

MARY TOU NOT County Recorder

Veryor County

MARY TOU NOT County

MARY TOUR COUNT

200	2.0					1.5	- 3		4.50	2 L		 	 		*	10.12	100		 100					40.0	100	÷	'T			Cine.	n D	nhi	chino	· Ca	Н	leic'	na.	Mot	atana	a41	941
		Pri in	4-17	Sec. 10.	APPROVED THE		· · · · ·	200		Par 8 -4	A	 	 	9		7	The Re	4.10	 	***	11.16	· A	nni	OV.	ca :	Stot	ж. г	.ntr	11-	Jiai	C 1.	uvi	31111110	, •••	., -	****					
			-1-0																																						
																																	·								
																																								40	
																																	Т								
Pile																																									
													7 11 2																											ley	
																	10.																								
																														75.00		*****									
			CA																																						
																										A 10															

STATE OF MONTANA

ADMINISTRATOR OF GROUNDWATER CODE

OFFICE OF STATE ENGINEER

DEC 30 1963

	Declaration of \	/ested Groundwater Rights E LNUINETR 237, Montana Session Laws, 1961)
	EDWARDS.	, of (Address) (Town) State of Montana the Montana laws in effect prior to January 1, 1962, as follows:
have appropr	2. 3. 4.	The beneficial use on which the claim is based Stock water spring. Date or approximate date of earliest beneficial use; and how continuous the use has been 1957. The amount of groundwater claimed (in miner's inches or gallons per minute):50. gallons per minute flow. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof
Indicate point and place of us small square r 7. The date drawal of	of commencement and complete groundwater1957196	The means of withdrawing such water from the ground and the location of each well or other means of withdrawal. 7' deep pit x .100' dismeter spring. ion of the construction of the well, wells, or other works for with- 0 dug out spring.
8. The depth	of water table 4 feet d it may be available, the type, the withdrawal of groundwater	eep to water size and depth of each well or the general specifications of any other This is a spring7 deep 100 diameter
	nated amount of groundwater wi	ithdrawn each year. 1,000,000 gallons per year drilling of each well if available.
reference	er information of a similar natu to book and page of any county	ire as may be useful in carrying out the policy of this act, including record.
Three conice	to be filed by the owner with the	Signature of Owner Wayne A. Edwards Date December 20, 1963 County Clerk and Recorder of the county in which the well is located
Please answe	r all questions. If not applicable	o, so state, otherwise the form will be returned. Duplicate to the State Engineer; Triplicate to the Montana Bureau

STATE OF MONTANA, Commy of Valley.

Fried for record

DEC 23 1963

MARY LOU ELLE Clerk & Recorder
Valley County-order

Caulous passions party

DUPLICATE

File No.

County Valley

STATE OF MONTANA ADMINISTRATOR OF GROUNDWATER CODE OFFICE OF STATE ENGINEER

JAN 16 1964

Declaration of Vested Groundwater Rights

(Under Chapter 237, Montana Session Laws, 1961)

w-1-162	or) State of Montana 1999 or fallen
County of Walley appropriated groundwater accounty	State of Montana Ording to the Montana laws in effect prior to January 1, 1962, as follows:
	2. The beneficial use on which the claim is based. stock. water.
	3. Date or approximate date of earliest beneficial use; and how continuous ous the use has been excavated 1954 and continuous
X	4. The amount of groundwater claimed (in miner's inches or gailons per minute) 1 gal per minute
	5. If used for irrigation, give the acreage and description of the lands
	not for irrigation
E4 4SE See T.34 R.40 Indicate point of appropriation	
and place of use, if possible. Each small square represents 10 acres. 7. The date of commencement ar	6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal surface flowing well-through pipe into stock tank in NW1NE1GE1 Sec 5 T34 R40 decompletion of the construction of the well, wells, or other works for withdrawal surface and completion.
drawal of groundwater 1954	contraction and completion
8. The depth of water table	face flowing, AXXX.4! diameter 6! deep
9. So far as it may be available, works for the withdrawal of gr through pipe to tank	
10 The estimated amount of grou	ndwater withdrawn each year 147,800 gal per year
e cometions encount	cred in the drilling of each well if available. None
II. The log of formation	
12. Such other information of a reference to book and page of	similar nature as may be useful in earrying out the policy of this act, including any county record
	Signature of Owner. 1712 1 10gs 11/-1

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Date.....

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

439187 18599

STATE OF MONTHAIN A PROCESSION OF THE STATE OF MONTHAIN A PROCESSION OF THE STATE OF THE STATE

••		

		Publishing		

File No.

DUPLICATE

STATE OF MONTANA ADMINISTRATOR OF GROUNDWATER CODE OFFICE OF STATE ENGINEER

County Valley DECEIVAIN

Declaration of Vested Groundwater Rights ENGINEER

(Under Chapter 237, Montana Session Laws, 1961)

WAYNE A. ED	WARDS	of Opheim (Address) (Town)
(Nama	of Appropriator)	Montono
water of Val	.1ey	State of
ounty of	undwater according to the	State of
tio albiabiling Ric		andra 1925 and a fill that a fill a single specific could be a single speci
N		peneficial use on which the claim is based 1. Stock
	Z. The	Stock and house
		Stock are
		date of carliest beneficial use: and how continu-
	3. Date	or approximate date of earliest beneficial use; and how continute use has been 2. 1943
	ous 1	the use has been 7 1958
	E E	
	1. 네트리트를 존재되었습니다	amount of groundwater claimed (in miner's inches or gallons
	4. The	amount of groundwater claimed (in miner's inches of games) 1. 10 gallons per minute in 10 gallons per minute
	per:	minute) 1. 10 garions per minute 2. 10 gallons per minute
		Z. 10 Burrous per minos
	1	
	5. If v	used for irrigation, give the acreage and description of the lands which water has been applied and name of the owner thereco
	to v	which wroter like been training
s		WHICH WALLS
CD 7	- 40	
1/4 SE Sec 7 T.3	54 R. 79	***************************************
licate point of app	propriation	T - I the loss
d place of use, if poss		e means of withdrawing such water from the ground and the loca
all square represent	s 10 acres.	e means of withdrawing such water from the great of each well or other means of withdrawal
	LIOI	of each well or other means of withdrawar. 1. Electric pump
		2. Electric pump
The date of com	mencement and completion of	of the construction of the well, wells, or other works for with
man on Promid	7 1452	f the construction of the well, wells, or other works for with
	2, 1958	f the construction of the well, wells, or other works for with
and 3	2, 1958	f the construction of the well, wells, or other works for with
and 3	2, 1958	f the construction of the well, wells, or other works for with
and 3	2, 1958	f the construction of the well, wells, or other works for with
and a ground	2, 1958	f the construction of the well, wells, or other works for with
and a ground	2, 1958	f the construction of the well, wells, or other works for with the construction of the well, wells, or other works for with the construction of the well, wells, or other works for with the construction of the well, wells, or other works for with the construction of the well, wells, or other works for with the construction of the well, wells, or other works for with the construction of the well, wells, or other works for with the construction of the well, wells, or other works for with the construction of the well, wells, or other works for with the construction of the well, wells, or other works for with the construction of the well, wells, or other works for with the construction of the well, wells, or other works for with the construction of the well, wells, or other works for with the construction of the well, wells, or other works for with the construction of the well, wells, or other works for with the construction of the const
9. So far as it may works for the with	2. 1958 or table 1. 67 feet be available, the type, size hdrawal of groundwater 1 2	f the construction of the well, wells, or other works for with 2. 67 feet and depth of each well or the general specifications of any oth 78 deep. 4 casing, 12 pipe 78 deep. 4 casing, 12 pipe
3. The depth of water 9. So far as it may works for the with	table 1, 67 feet be available, the type, size hdrawal of groundwater 1	f the construction of the well, wells, or other works for with 2, 67 feet and depth of each yell or the general specifications of any oth 78 deep. 4 casing, 12 pipe 78 deep, 4 casing, 12 pipe
3. The depth of water 9. So far as it may works for the with	table 1, 67 feet be available, the type, size hdrawal of groundwater 1	f the construction of the well, wells, or other works for with 2, 67 feet and depth of each yell or the general specifications of any oth 78 deep. 4 casing, 12 pipe 78 deep, 4 casing, 12 pipe
3. The depth of water 3. So far as it may works for the with	table 1, 67 feet be available, the type, size hdrawal of groundwater 1, 2	and depth of each well or the general specifications of any oth casing, 12" pipe. 78 deep. 4" casing, 12" pipe 78 deep, 4" casing, 12" pipe 1. 500,000 gallons per year awn each year 2. 150,000 gallons per year
3. The depth of water 3. So far as it may works for the with	table 1, 67 feet be available, the type, size hdrawal of groundwater 1, 2	and depth of each well or the general specifications of any oth casing, 12" pipe 78 deep. 4" casing, 12" pipe 78 deep, 4" casing, 12" pipe 1. 500,000 gallons per year awn each year 2. 150,000 gallons per year
3. The depth of water 3. So far as it may works for the with	table 1, 67 feet be available, the type, size hdrawal of groundwater 1, 2	and depth of each well or the general specifications of any oth casing, 12" pipe 78 deep. 4" casing, 12" pipe 78 deep, 4" casing, 12" pipe 1. 500,000 gallons per year awn each year 2. 150,000 gallons per year
3. The depth of water 3. So far as it may works for the with	table 1, 67 feet be available, the type, size hdrawal of groundwater 1, 2	and depth of each well or the general specifications of any oth casing, 12" pipe 78 deep. 4" casing, 12" pipe 78 deep, 4" casing, 12" pipe 1. 500,000 gallons per year awn each year 2. 150,000 gallons per year
9. So far as it may works for the with	table 1, 67 feet be available, the type, size hdrawal of groundwater 1, 2	f the construction of the well, wells, or other works for with 2, 67 feet and depth of each yell or the general specifications of any other teach yell or the general specifications of any other teachers, 12 pipe 78 deep, 4 casing, 12 pipe
3. The depth of water 9. So far as it may works for the with 1. The log of forma	table 1, 67 feet be available, the type, size hdrawal of groundwater 1 2 nount of groundwater withdrawater 1 ations encountered in the dril	f the construction of the well, wells, or other works for with 2, 67 feet and depth of each yell or the general specifications of any oth casing, 12 pipe 1. 500,000 gallons per year 2. 150,000 gallons per year ling of each well if available
9. So far as it may works for the with the with the will the works for the will be works for the works for t	2. 1958 or table 1, 67 feet be available, the type, size hdrawal of groundwater 1 2 nount of groundwater withdrawater conductions encountered in the dril	and depth of each well or the general specifications of any other 78 deep. 4" casing, 12" pipe 1. 500,000 gallons per year 2. 150,000 gallons per year ling of each well if available.
3. The depth of water 9. So far as it may works for the with 1. The log of forma	2. 1958 or table 1, 67 feet be available, the type, size hdrawal of groundwater 1 2 nount of groundwater withdrawater conductions encountered in the dril	and depth of each well or the general specifications of any oth results are deeps. 4" casing, 12" pipe 1. 500,000 gallons per year 2. 150,000 gallons per year 2. 150,000 gallons per year
3. The depth of water 9. So far as it may works for the with 1. The log of forma	2. 1958 or table 1, 67 feet be available, the type, size hdrawal of groundwater 1 2 nount of groundwater withdrawater conductions encountered in the dril	and depth of each well or the general specifications of any oth results are deeps. 4" casing, 12" pipe 1. 500,000 gallons per year 2. 150,000 gallons per year 2. 150,000 gallons per year
9. So far as it may works for the with the with the will the works for the will be works for the works for t	2. 1958 or table 1, 67 feet be available, the type, size hdrawal of groundwater 1 2 nount of groundwater withdrawater conductions encountered in the dril	f the construction of the well, wells, or other works for with 2, 67 feet and depth of each yell or the general specifications of any oth casing, 12 pipe 1. 500,000 gallons per year 2. 150,000 gallons per year ling of each well if available
9. So far as it may works for the with the with the will the works for the will be works for the works for t	2. 1958 or table 1, 67 feet be available, the type, size hdrawal of groundwater 1 2 nount of groundwater withdrawater conductions encountered in the dril	f the construction of the well, wells, or other works for with 2. 67 feet and depth of each well or the general specifications of any other teach of each well or the general specifications of any other teach of the casing, 12 pipe 1. 500,000 gallons per year awn each year 2. 150,000 gallons per year ling of each well if available. as may be useful in carrying out the policy of this act, included and the conditions of t
9. So far as it may works for the with the with the will the works for the will be works for the works for t	2. 1958 or table 1, 67 feet be available, the type, size hdrawal of groundwater 1 2 nount of groundwater withdrawater conductions encountered in the dril	f the construction of the well, wells, or other works for with 2. 67 feet and depth of each well or the general specifications of any other to the second of the second
9. So far as it may works for the with the with the will the works for the will be works for the works for t	2. 1958 or table 1, 67 feet be available, the type, size hdrawal of groundwater 1 2 nount of groundwater withdrawater conductions encountered in the dril	f the construction of the well, wells, or other works for with 2. 67 feet and depth of each well or the general specifications of any other teach of each well or the general specifications of any other teach of the casing, 12 pipe 1. 500,000 gallons per year awn each year 2. 150,000 gallons per year ling of each well if available. as may be useful in carrying out the policy of this act, included and the conditions of t
9. So far as it may works for the with the with the will the works for the will be works for the works for t	2. 1958 or table 1, 67 feet be available, the type, size hdrawal of groundwater 1 2 nount of groundwater withdrawater conductions encountered in the dril	and depth of each well or the general specifications of any other 78 deep, 4" casing, 12" pipe 1. 500,000 gallons per year awn each year 2. 150,000 gallons per year ling of each well if available. Signature of Owner Wayne Cawara
9. So far as it may works for the with the with the will the works for the will be works for the works for t	2. 1958 or table 1, 67 feet be available, the type, size hdrawal of groundwater 1 2 nount of groundwater withdrawater conductions encountered in the dril	f the construction of the well, wells, or other works for with 2. 67 feet and depth of each well or the general specifications of any other teach of each well or the general specifications of any other teach of the casing, 12 pipe 1. 500,000 gallons per year awn each year 2. 150,000 gallons per year ling of each well if available. as may be useful in carrying out the policy of this act, included and the conditions of t

Three copies to be filed by the owner

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

18118

THE COMPANY OF STATE OF STATE

DEG Za men

MARY LOU ETTE Clerk & Recorder
Velley County

Ġ w	Approved Stock Form—Sia o Publishing Co., Helena, Montana—12234
File No.	5 11 F34 R 40
DUPLICATE	STATE OF MONTANA ADMINISTRATOR OF GROUNDWATER CODE JAN 17 1964 OFFICE OF STATE ENGINEER
Decla	aration of Vested Groundwater Rights
	(Under Chapter 237, Montana Session Laws, 1961)
12 O. Hanry	ppropriator) of Chlim Mordana (Town)
7/10, 1/2	State of State of January 1, 1962, as follows:
	2. The beneficial use on which the claim is based.
	a Date or approximate date of earliest beneficial use; and how continu-
w We00	cus the use has been. \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \
	4. The amount of groundwater claimed (in miner's inches or gallons per minute)
s	5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof
	40 gross I a Horse
Indicate point of appropria and place of use, if possible. I small square represents 10 a	Each and the loss
	- Parkette Proteg
7. The date of commencer drawal of groundwater	nent and completion of the construction of the well, wells, or other works for with-
8. The depth of water table	
9. So far as it may be ave	ailable, the type, size and depth of each well or the general specifications of any other of groundwater.
oe spuz	deliveri, so gale que mento
	groundwater withdrawn each year 104,1890,00 8.P. year.
10. The estimated amount of	acountered in the drilling of each well if available 5.0
355 oh	de red
12. Such other information reference to book and pa	of a similar nature as may be useful in carrying out the policy of this act, including of any county record
eting through the second fire and defer the second	Low. 9
	Signature of Owner Date 12-26-63
Three conies to be filed by th	ic owner with the County Clerk and Recorder of the county in which the well is located

Original to the County Clerk and Recorder; Duplicate to the State Engineer; Triplicate to the Montana Bureau of

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

18282

STATE OF MONAMA | 100.

State of Monama | 100.

Filed for growing

VLO DEC 30 1963 MARY LOU FIDE Cle & Recorder Velley County

	T 84 // R 40 F
No	하는데 하는데 있는 것이 되었다니다. 아버리는 사람이 하게 하면 하나 하는데 하다면 나는데 하는데 나를 보다 되었다.
PLICATE	County Valley
	OFFICE OF STATE ENGINEER
	aration of Vested Groundwater Rights Engine 63
Decla	(Under Chapter 237, Montana Session Laws, 1961)
George A. Asles	
Elmer Asleson	Ophe1m
	ppropriator) (Address) (Town)
lave appropriated grounds	State of Montana water according to the Montana laws in effect prior to January 1, 1962, as follows:
N	
	2. The beneficial use on which the claim is based Livestock water use, garden use and household use
	Gring-
	weii. 3. Date or approximate date of earliest beneficial use; and how continuous the use has been
	and has been used continuously sines.
	4. The amount of groundwater claimed (in miner's inches or gallons per minute)
	per minute). 10 garrons per minute.
	5. If used for irrigation, give the acreage and description of the lands
5	to which water has been applied and name of the owner thereof
3 14 Sec. 16 _T 34 R	Water used to irrigate about 1/4 acre of 40 EMM garden and located in NELSWINEL, Sec. 16, T.
	34 N. R 40 RMM. Owners are appropriators
dicate point of appropria d place of use, if possible. I	tion 34 N, R 40 KNM, Owners are appropriators
dicate point of appropris	tion Sach Gach Cres. 6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal
dicate point of appropria d place of use, if possible. I	tion S4. N. H. 40 KMM, Owners are appropriators. Sach 6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal
dicate point of appropris d place of use, if possible. I all square represents 10 a	ation Sach Gres. 6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal
dicate point of approprised place of use, if possible. I all square represents 10 a	Ation 34 N, R. 40 KMM, Owners are appropriators. Sach cres. 6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal. Natural spring and a well with an electric driven pump location. NELSWINEL, Sac. 16, T. 34 N, R. 40 EMM. The proposition of the construction of the well, wells, or other works for with-
dicate point of approprised place of use, if possible. I all square represents 10 a	Ation 34 N, R 40 KMM, Owners are appropriators. Sach cres. 6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal. Natural april and a well with an electric driven pump location. NELSWINEL, Sac. 16, T 34 N, R 40 EMM.
dicate point of approprised place of use, if possible. It all square represents 10 a The date of commencement drawal of groundwater	Ation 34 N, R 40 KMM, Owners are appropriators. 3ach 3ach 3ach 3bc. 6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal. Natural aprin and a well with an electric driven pump loc in NEISWINEL, Sec. 16, T 34 N, E 40 EMM ment and completion of the construction of the well, wells, or other works for with- Commenced and completed construction of well in 1928
dicate point of appropriated place of use, if possible. It all square represents 10 a The date of commencem drawal of groundwater. The depth of water table.	Ation Sach Cres. 6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal. Natural spring and a well with an electric driven pump location NE-SW-NE-2, Sac 16, T 34 N, R 40 EMM ent and completion of the construction of the well, wells, or other works for with Commenced and completed construction of well in 1928 12 feet from the surface
licate point of approprise place of use, if possible. I all square represents 10 a The date of commencement drawal of groundwater. Tho depth of water table. So far as it may be ave works for the withdrawal	Ation S4 N, R 40 KMM, Cwners are appropriators. Sach cres. 6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal. Natural aprix and a well with an electric driven pump location NE4SW4NE4, Sac 16, T 34 N, R 40 EMM. The same and completion of the construction of the well, wells, or other works for with Commenced and completed construction of well in 1926. 12 feet from the surface. Salary of the surface. Salary of the surface.
licate point of approprise place of use, if possible. I all square represents 10 a The date of commencement drawal of groundwater. Tho depth of water table. So far as it may be ave works for the withdrawal	Ation S4 N, R 40 KMM, Cwners are appropriators. Sach cres. 6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal. Natural aprix and a well with an electric driven pump loc in NE4SW4NE4, Sac 16, T 34 N, R 40 EMM ment and completion of the construction of the well, wells, or other works for with Commenced and completed construction of well in 1926 12 feet from the surface
dicate point of approprised place of use, if possible. It all square represents 10 a The date of commenced drawal of groundwater. The depth of water table. So far as it may be ave works for the withdrawal	Ation S4 N, R 40 KMM, Owners are appropriators. Sach cres. 6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal. Natural aprimand a well with an electric driven pump location NE4SW4NE4, Sac 16, T 34 N, R 40 EMM ent and completion of the construction of the well, wells, or other works for with— Commenced and completed construction of well in 1928 12 feet from the surface hilable, the type, size and depth of each well or the general specifications of any other of groundwater. Well was hand duz, is 4 feet in diameter,
dicate point of approprised place of use, if possible. I all square represents 10 a linear	Ation Sach Gach Gach Gach Gach Gach Gach Gach G
dicate point of approprised place of use, if possible. I all square represents 10 a linear representation linear represents 10 a li	Ation S4 N, R 40 KMM, Owners are appropriators. Sach cres. 6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal. Natural aprimand a well with an electric driven pump location NE4SW4NE4, Sac 16, T 34 N, R 40 EMM ent and completion of the construction of the well, wells, or other works for with— Commenced and completed construction of well in 1928 12 feet from the surface hilable, the type, size and depth of each well or the general specifications of any other of groundwater. Well was hand duz, is 4 feet in diameter,
dicate point of approprised place of use, if possible. It all square represents 10 a square represents 10 a. The date of commencement of groundwater. The depth of water table. So far as it may be averaged works for the withdrawal and is approximately. The estimated amount of the log of formations en	Ation 34 N, R 40 KMM, Owners are appropriators. 3ach 3ach 3ach 3. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal Natural aprir and a well with an electric driven pump location NEISWINEL, Sac 16, T 34 N, E 40 EMM ment and completion of the construction of the well, wells, or other works for with- Commenced and completed construction of well in 1928 12 feet from the surface hilable, the type, size and depth of each well or the general specifications of any other of groundwater Well was hand dug, is 4 feet in diameter, actaly 17 feet in depth. f groundwater withdrawn each year 1,100,000 gallons countered in the drilling of each well if available 0 to 10! Sand;
dicate point of approprised place of use, if possible. It all square represents 10 a square represents 10 a. The date of commencement of the depth of water table. So far as it may be averaged as a square represents and is approximately. The estimated amount of the log of formations entered to the square representation of the log of formations entered amount of th	Ation S4 N, R 40 KMM, Owners are appropriators. Sach cres. 6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal Natural aprix and a well with an electric driven pump location NEISWINK; Sec 16, T 34 N, R 40 EMM ment and completion of the construction of the well, wells, or other works for with— Commenced and completed construction of well in 1928 12 feet from the surface 12 feet from the surface milable, the type, size and depth of each well or the general specifications of any other of groundwater Well was hand dug, is 4 feet in diameter, mately 17 feet in depth. f groundwater withdrawn each year 1,100,000 gallons tecountered in the drilling of each well if available 0' to 10' Sand; Convel.
dicate point of approprised place of use, if possible. It can be appropriately appropr	Ation 34 N, R 40 KMM, Owners are appropriators. 3ach 3ach 3ach 3. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal Natural aprin and a well with an electric driven pump loc in NEISWINE, Sec 16, T 34 N, E 40 EMM ment and completion of the construction of the well, wells, or other works for with Commenced and completed construction of well in 1928 12 feet from the surface hilable, the type, size and depth of each well or the general specifications of any other of groundwater Well was hand dug, is 4 feet in diameter, eastely 17 feet in depth. f groundwater withdrawn each year 1,100,000 gallons countered in the drilling of each well if available 0! to 10! Sand;
dicate point of approprised place of use, if possible. It can be approximately a square represents 10 a commencer of the date of commencer drawal of groundwater. The date of commencer drawal of groundwater. The depth of water table. So far as it may be averaged as approximately approximately approximately. The estimated amount of the log of formations en approximately appro	S4 N, R 40 KMM, Owners are appropriators. Sach 6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal Natural aprin and a well with an electric driven pump location NEISWINE; Sec. 16, T 34 N, E 40 EMM ment and completion of the construction of the well, wells, or other works for with Commenced and completed construction of well in 1928 12 feet from the surface milable, the type, size and depth of each well or the general specifications of any other of groundwater. Well was hand dug, is 4 feet in diameter, eately 17 feet in depth. f groundwater withdrawn each year 1,100,000 gallons countered in the drilling of each well if available. O' to 10! Sand; Gravel.
dicate point of approprised place of use, if possible. It can be approved and it is a possible of the date of commencer drawal of groundwater. The depth of water table. So far as it may be averaged as a possible of the withdrawal and is approximately. The log of formations en 10! to 17!	S4 N, R 40 KMM, Owners are appropriators. Sach 6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal Natural aprir and a well with an electric driven pump location NEISWINE; Sec. 16, T 34 N, E 40 EMM ment and completion of the construction of the well, wells, or other works for with Commenced and completed construction of well in 1928 12 feet from the surface milable, the type, size and depth of each well or the general specifications of any other of groundwater Well was hand dug, is 4 feet in diameter, eately 17 feet in depth. f groundwater withdrawn each year 1,100,000 gallons countered in the drilling of each well if available 0' to 10' Sand; Gravel.
dicate point of approprised place of use, if possible. It can be appropriately a superior of the possible of the commencer of the commencer of the capable of the commencer of the capable	S4 N, R 40 KMM, Owners are appropriators. Sach 6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal Natural aprin and a well with an electric driven pump location NEISWINE; Sec. 16, T 34 N, E 40 EMM ment and completion of the construction of the well, wells, or other works for with Commenced and completed construction of well in 1928 12 feet from the surface milable, the type, size and depth of each well or the general specifications of any other of groundwater. Well was hand dug, is feet in diameter, eately 17 feet in depth. f groundwater withdrawn each year 1,100,000 gallons countered in the drilling of each well if available. O' to 10! Sand; Gravel. of a similar nature as may be useful in carrying out the policy of this act, including ge of any county record notes.
dicate point of approprised place of use, if possible. It can be appropriately appropr	S4 N, R 40 KMM, Owners are appropriators. Sach 6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal Natural aprin and a well with an electric driven pump location NE SWNNE, Sac 16, T 34 N, E 40 EMM ment and completion of the construction of the well, wells, or other works for with Commenced and completed construction of well in 1928 12 feet from the surface milable, the type, size and depth of each well or the general specifications of any other of groundwater Well was hand dug, is feet in diameter, eately 17 feet in depth. f groundwater withdrawn each year 1,100,000 gallons countered in the drilling of each well if available 0 to 10! Sand; Gravel. of a similar nature as may be useful in carrying out the policy of this act, including ge of any county record none.
dicate point of approprised place of use, if possible. It can be appropriately appropr	S4 N, R 40 KMM, Owners are appropriators. 6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal Natural aprin and a well with an electric driven pump location NE SWNNE, Sac 16, T 34 N, R 40 EMM ment and completion of the construction of the well, wells, or other works for with Commenced and completed construction of well in 1928 12 feet from the surface milable, the type, size and depth of each well or the general specifications of any other of groundwater Well was hand dug, is feet in diameter, sately 17 feet in depth. f groundwater withdrawn each year 1,100,000 gallons countered in the drilling of each well if available 0 to 10! Sand; Gravel. of a similar nature as may be useful in carrying out the policy of this act, including ge of any county record none.
dicate point of approprised place of use, if possible. It can be appropriately appropr	S4 N, R 40 KMM, Owners are appropriators. Sach 6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal Natural aprin and a well with an electric driven pump location NE SWNNE, Sac 16, T 34 N, E 40 EMM ment and completion of the construction of the well, wells, or other works for with Commenced and completed construction of well in 1928 12 feet from the surface milable, the type, size and depth of each well or the general specifications of any other of groundwater Well was hand dug, is feet in diameter, eately 17 feet in depth. f groundwater withdrawn each year 1,100,000 gallons countered in the drilling of each well if available 0 to 10! Sand; Gravel. of a similar nature as may be useful in carrying out the policy of this act, including ge of any county record none.

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

istrate duchion than a fea.
Commy of Vailey. Fea.
Mind for anioth

0EC 31 1963 MARY LOU Lie Land less Recorder

Velley County

	otag	0.19
o	Approved Stock Form—State Publishin	g Co., Helena, Montona—41921
-File No.	(1) Probability of the second of the seco	
DUPLICATE	STATE OF MONTANA ADMINISTRATOR OF GROUNDWATER COPP OFFICE OF STATE ENGINEER	DEC 30 1963
De	claration of Vested Groundwater	ights Noine TR
	(Under Chapter 237, Montana Session Laws, 1961)	Onlains
1. alun Maria	n Leudahl, of Route. Appropriator) (Address)	Opheim (Town)
0/-	Lley - State of Mount ndwater according to the Montana laws in effect prior t	o January 1, 1962, as follows:
nave appropriated grou		
	2. The beneficial use on which the claim 300 ewes. Also 74.	ausehold.
		haneficial nees and how continue
	ous the use has been 12 mm.	e our 40 years.
w		
X	4. The amount of groundwater claim per minute) 5 gal per	minut.
		and description of the lands
s	5. If used for irrigation, give the aer to which water has been applied	and name of the owner thereof
SW 4 19 Sec 34 T.40	? R.	
and place of use, if possib small square represents	tion of each well or other means of electric male I.	withdrawal fluxen from fi
7. The date of comme drawal of groundwa	necement and completion of the construction of the well, ter. About 40 years ago. 17.	23
8. The depth of water t	able 52 ft.	
9. So far as it may b	available, the type, size and depth of each well or the awal of groundwater. Hand slug. 45	general specifications of any other
works for the withd	awar of groundwave	
10 Mb estimated emou	nt of groundwater withdrawn each year. 19, 500	
10. The estimated amou	es encountered in the drilling of each well if available	feet loan 286
granely battom.	ns encountered in the drilling of each well if available of the control of the co	ier. – equicasina s
12. Such other informa reference to book ar	tion of a similar nature as may be useful in carrying out ad page of any county record. It at a county to the second of the seco	it the policy of this act, including which the form
	Signature of Owner A	a. m. Lindahl.
	Date of the second	
Three copies to be filed	by the owner with the County Clerk and Recorder of the	ounty in which the well is located.
	ons. If not applicable, so state, otherwise the form will be	
Original to the County	Clerk and Recorder; Duplicate to the State Engineer; Tr Quadruplicate for the Appropriator.	and the second of the second o

STATE OF MONTANA 3.5.
County of Valley.
Filed for resort

DEC 23 1963

MARY LOU ELE E Cleik & Recorder Valley County order

Form No. 18 8-60	
	T. 3 / N R. 40 L
	County VALLEY
	MONTANA BUREAU OF MINES AND GEOLOGY EIVE DE Butte, Montana DECEIVE DE MONTANA DE LA COMPANION
	STATE ENGINEER
0wne	r A.M. Liudahl Address Opheim, Monti
Dril	ler J.R. Billmayer + Song Address Hogeland, Mant.
Date	Started <u>Hug. 30,1961</u> Date Completed <u>Sept. 15,196</u> tion: Sec. 19 T34N R. 40E 4 sec. SW4 SW4
Type of well Dug, drive	//ed Equipment used Spudet
Water use: Domestic	Municipal Stock ☑ Irrigation □
Industrial	Drainage Other
Casing: ft.t	o /22 ft. Type Size 4"
Casing: ft, t	o ft. Type Size
Casing: ft. t	o ft. Type Size
the second se	d: Ft. 42 to ft. 52 . Ft. 1/4 to ft. 122
The second of th	forations Catting torch
The state of the s	or non-flowing well: 20 feet.
and the second of the second o	flowing well: lb./sq.in.on: (date)
Pumping water level	/OO feet at / gal. per min.
How tested: 60 fear	Tell-up and night on 4' holo.
Length of test	Y
Remarks: (Gravel pac shut-off	king, cementing, packers, type of shut-off, depth of)
ki n (1942-1948) - January Brand, berbel Signific	
	(over)

Log of Well

Depth, From	feet To	Description of Material Drilled
0	7	Surface grave
7	10	Brown Clay
10	47	Gravel + Clay Some Water
47	65	Yellow Clay
65	7.3	Gray Clay
1/5	122	Blue shale Shale - some water
122	334	Blue shale
336	350	Shale with head Rock heres
350		total depthy
		STAJE OF I Compo
		DO D
		PoN 2 3 B